Journal of the American College of Cardiology
© 2001 by the American College of Cardiology
Published by Elsevier Science Inc.

Vol. 37, No. 8, 2001
ISSN 0735-1097/01/$20.00
PII S0735-1097(01)01410-3

Author Index: Volume 37

Aakhus S, 726
Aalkjaer C, 2154
Aaser E, 485
Abdalla I, 1936
Abraham TP, 731, 1141
Abreo G, 1303
Abukhalil J, 741
Adachi T, 1284
Adamopoulos S, 1685
Adamson PB, 1741
Aggarwal A, 1246
Agostoni P, 398
Agras J, 992
Aguinaga L, 529
Ahmad M, 1303
Aihara N, 911
Aikawa K, 308
Airoldi F, 2074
Ajani UA, 445
Akhter MW, 893
Akima T, 70
Akinboboye OO, 109
Akioka K, 1310
Akosah KO, 330
Al Suwaidi J, 1523
Alberto J, 379
Albertsson P, 1598
Albiero R, 1019
Alboni P, 548, 1921
Alhaddad IA, 1757
Alhopuro P, 1516
Alpert JS, 1473
Altmann E, 1827
Alvarez R, 329
Alves CMR, 900
Alwi M, 258
Amabile PG, 1975
Ambrose JA, 900
Ambrosi P, 1069
Amirnovin R, 379
Amsterdam EA, 2050
Anabitarte A, 1536
Anagnostopoulos CE, 521
Anderson AS, 2013
Anderson HV, 1877, 2240
Anderson KM, 2059
Anderson ME, 1100
Anderson TJ, 1344
Andrews NP, 117, 510
Angioï M, 825
Anker SD, 689, 1808
Anner H, 1839
Antiarrhythmics Versus Implantable Defibrillator (AVID) Trial Investigators, 1093
Antolini R, 534
Antoniucci D, 793
Anzai T, 418
Anzuini A, 2074
Apstein CS, 2144
Arakawa T, 70
Arbustini E, 183
Ardissino D, 1001
Armstrong PW, 1001
Arruda AM, 1036, 1551
Asai T, 719
Asakura M, 1284
Ashikaga K, 1415
Asmar RG, 1374
Assali AR, 1877
Assmann G, 434
Astarita C, 1639
Atalar E, 2031
Atarashi H, 1916
Athanasuleas CL, 1199
Auch-Schwelk W, 839
Auclair L, 1289
Aukrust P, 485
Aurigemma GP, 1042, 1080
Austin PC, 992
Australia-New Zealand Heart Failure Group, 1781
Avalos O, 1536
Avierinos J-F, 1069
Avitall B, 1733
Axel L, 1120
Azevedo ER, 505

Baba A, 418
Baba S, 1436
Badimon JJ, 847, 1149
Bae RY, 1141
Baffour R, 1726
Bahit MC, 1001
Baigent C, 1474
Bailey KR, 1381
Bailey LL, 243
Bailey SR, 1329
Baim DS, 856
Baines CP, 601
Balaji S, 238
Baldi J, 51
Bales AC, 2013
Ballerini L, 1707
Banning AP, 705
Barbieri E, 1239
Barron KS, 238
Bartel S, 668
Barthel P, 1901
Baruch R, 1775
Bash D, 1408
Basher AW, 1757
Bashore TM, 2170
Basilico B, 157
Batalla A, 329, 331
Battaglia S, 1543
Battezzati PM, 157
Baumann G, 668
Baumbach A, 1430
Baumgart D, 1864
Bax JJ, 81
Bax M, 1316
Baxter GF, 1996
Bean KE, 163
Beanlands RS, 985
Becker A, 451
Becker AE, 1271
Becker C, 451
Beckman JA, 761
Beeson WL, 243
Beheiry S, 1408
Belardi J, 1598
Belardinelli R, 1891
Bella JN, 1943
Beller GA, 325, 687, 966, 1155
Belohlavek M, 1141
Benestent I Study Group, 1598
Benetos A, 163, 662
Ben-Haim SA, 1590
Benson LN, 2108
Ben-Yehuda O, 766
Berdan LG, 492
Berg G, 1827
Berge RK, 485
Bergmann SR, 109
Berlatzky Y, 1839
Berlin JA, 1297
Berman DS, 144
Bernardi V, 51
Bertrand A, 825
Berul CI, 2136
Best PJM, 608
Betriu A, 529, 1001
Beverelli F, 1543
Bhargava A, 2013
Bhargava B, 1026
Bhargava V, 766
Bilkis AA, 258
Bin J-P, 1135
Biosa R, 201
Bitar SR, 26
Bittner V, 431
Bjerregaard P, 1635
Black A Jr, 832
Blackman DJ, 1062
Blackshear JL, 371
Blackstone EH, 1199, 1558
Blanchard D, 328
Blanksma PK, 81
Blaustein AS, 19
Bloch KD, 1981
Blömer P, 1963
Blum M, 1775
Blume A, 2154
Boccara F, 786
Bocchiardo M, 534
Bode F, 44, 920
Boden WE, 19
Bogaty P, 463, 1289
Bolognese L, 793
Bond A, 766
Bonizzato A, 1808
Bonneau HN, 1031
Bonnemeier H, 44
Bonney S, 1100
Boomsma F, 470
Boramanand N, 1129
Born D, 900
Borschke J-U, 668
Bossi I, 832
Bøtker HE, 100
Bøttcher M, 100
Bottoni N, 548, 1921
Boudreault J-R, 1289
Bouzinova E, 2154
Bove EL, 231
Boyer L, 463, 1289
Bramlage P, 668
Breithardt G, 337
Brenneman P, 754
Brenner JI, 1129
Breur JMPJ, 1129
Brighetti G, 1239
Brignole M, 548, 1921
Briguori C, 2074
Brindis RG, 2240
Bristow MR, 1692
Brodde O-E, 300
Brosnahan K, 1
Brown CL III, 1329
Brown EJ Jr., 1757
Brugada J, 529
Brunckhorst CB, 1386
Brundel BJJM, 926
Brüning R, 451
Brunken RC, 1558
Brunner-La Rocca HP, 1221
Brunsvig A, 485
Brutel de la Rivière A, 1794
Buckberg GD, 1199
Budoff MJ, 336
Buffolo E, 900
Bunting S, 616
Buonamici P, 793
Buyon JP, 238

Cabrini G, 1808
Cadariu AR, 818
Califf RM, 9, 492, 1001, 1883, 2059
Calò L, 534
Campana C, 183
Canetti M, 893
Cannon PJ, 109
Cantor WJ, 1883
Canty JM Jr., 1989
Caponi D, 534
Cappato R, 548
CARE Group, 1910
Carletti M, 1239
Carlino M, 2074
Carlson MD, 1093
Carolan SA, 818
Carotti A, 1707
Carrabba N, 793
Carrozza JP Jr, 856
Carson JL, 1297
Carteaux JP, 825
Carvalho ACC, 900
Casalta J-P, 1069
Case C, 754
Castelain V, 1085
Castellanos A, 1395
Cecchin F, 238, 593
Cehun M, 1929
Celermajer DS, 224
Celletti FL, 2126
Cerisano G, 793
Chaitman BR, 26
Chambers JC, 517
Chamuleau SAJ, 1271, 1316
Chan RC, 1026
Chang C-I, 940
Chang M-S, 1651, 1658
Chapman H, 562
Charbonneau L, 463
Chauhan MS, 856
Chemla D, 1085
Chen J, 1950
Chen P-S, 1475
Chen S-A, 1651, 1658
Cheng V, 386
Chernichovski T, 316
Chiariello M, 338
Chiesa R, 2074
Chin-Dusting J, 1929
Chinnock RE, 243
Chirkov YY, 1851
Chiu I-S, 940
Chou R-L, 109
Choussat R, 832
Christen WG, 445
Christensen G, 624
Christenson RH, 9
Christie LG, 1329
Chrysostomakis SI, 124
Chugh SS, 371
Chung M, 1408
Cianci G, 1891
Cice G, 407
Cicoira M, 1808, 2080
Cimminiello C, 1259
Clapham DE, 2136
Clapp S, 251
Clark AL, 1765
Clark BJ III, 2114
Clarke H, 1266
Claudon O, 825
Claussen CD, 1430
Cleland JGF, 1765
Clopton P, 379, 386
Clough R, 1008
Coats AJS, 1808
Cocalis M, 251
Coda L, 534
Coggins M, 1135
Cohen A, 786
Cohen DJ, 856
Cohen MH, 238
Cohen MI, 1129
Cohen MV, 601
Cohn JN, 1692
Cokkinos DV, 492
Colan SD, 201
Colin P, 786
Collins R, 1474
Colombo A, 157, 1019, 1598, 2074
Colucci WS, 1692
Connell JMC, 1056
Connery CP, 521
Coombs LP, 885
Cooper G IV, 1080
Cooper J, 1266
Cornell CE, 780
Corrà U, 1813
Corral F, 1846
Cortina A, 331
Cortina R, 832
Coto E, 329
Cotter G, 1755
Cottin Y, 1026
Courbon D, 1543
Cowper PA, 1883
Creager MA, 761
Criger DA, 1001
Crijns HJGM, 81, 926
Crosson JE, 1129
Cryer B, 2036
Cubero GI, 331
Cullen P, 434
Cusma JT, 2053
Cutlip DE, 856

Dagenais GR, 463
Daimon M, 1310

Dakak N, 510
Dake MD, 1975, 2126
Damås JK, 485
Danchin N, 825
Danias PG, 334
Danielson GK, 933
Dao Q, 379
Daou D, 786
Dart AM, 975
Das MK, 1036
Dauerman HL, 1571
Davie AP, 1234, 1367
Davies RF, 985
Davis JA, 593
Dawson N, 1367
de Bakker JMT, 1403
de Frutos T, 800
De Gregorio J, 1019
de Jong A, 1316
De Matteis C, 1639
De Simone A, 1639
de Souza JAM, 900
de Winter RJ, 1316
Dean NA, 1335
deFilippi CR, 2042
Del Rosso A, 1921
Delacasa A, 51
Delacretaz E, 1386, 1665
DeLeon H, 655
Delfin JA, 847
Delles C, 175, 878, 1351
DeLong ER, 885
DeMaria AN, 262, 624
DePuey EG, 458
Derumeaux G, 1069
Destro G, 1239
Devaraj S, 2036
Devereux RB, 1943
Di Benedetto A, 407
Di Biase M, 1259
Di Carli MF, 2120
Di Donato RM, 1707
Di Donna P, 534
Di Mario C, 1019, 2074
Di Napoli T, 1639
Di Salvo G, 1069
Diaz LA, 1558
Diaz R, 37
Dick M II, 231
DiDonato M, 1199
Diébold B, 1543
DiMarco JP, 1908
Dinelli M, 1921
Ding Y-A, 1651, 1658
Dirschinger J, 2066
DiSalvo TG, 1981
Disco CMC, 1598
Doehner W, 689
Doi R, 293
Dor V, 1199
Doughty R, 1781
Douglas P, 616
Dovellini EV, 793
Downey JM, 601
Drenger B, 1839
Drescher KL, 1700
Driscoll DA, 2114
Dror U, 1590
Drossos GE, 521
Drusin RE, 189
Dubois EA, 144
Dubois-Rande J-L, 2101
Ducimetière P, 1543
d'Udekem Y, 2008
Duff H, 1093
Dumont S, 1289
Dunselman PHJM, 470
Duroux P, 1085
Duval-Moulin A-M, 2101

Eberli FR, 2144
Echigo S, 1967
Edvardsen T, 726
Edwards FH, 885
Edwards NM, 189
Edwards WD, 579
Egeblad H, 100
Eiho S, 1788
Eikelboom JW, 37
Eisenberg MJ, 335
Eleuteri E, 1813
El-Hajj H, 2108
Elhendy A, 1551
Elkayam U, 893
Elkins CJ, 1975
Ellis GR, 1062
Ellison KE, 1386
Elvan A, 1403
Endo A, 70
Engle KM, 818
Enjoji Y, 1628
Epstein SE, 1726
ERACI II Investigators, 51
Erbel R, 219, 1864
Erbs S, 392
Erdmann J, 175, 878
Erdogan O, 332
Esato K, 1111
Escanye JM, 825
Eschert H, 337
Esler MD, 1221, 1246
Espiner EA, 1781
Estes NAM III, 649
Every NR, 1836

Fabsitz R, 1943
Fagan TE, 251
Fajadet J, 832, 1598
Fallavollita JA, 1989
Fallon JT, 1149
Faraggi M, 786
Farkouh M, 2053
Farré J, 800
Fayad ZA, 1149
Feigenbaum H, 1422
Feldman M, 2036
Felix SB, 668
Feltes TF, 1700
Fendrik AM, 689
Ferguson JJ III, 2059
Ferguson MA, 1359
Ferracci A, 1069
Ferrara L, 407
Ferrari VA, 1120
Ferrario CM, 1536
Fichtlscherer S, 839
Fielitz J, 1443
Fiorentini C, 157
Fischbach PS, 231
Fish RD, 1877
FitzGerald GA, 76
Fitzgerald PJ, 1031, 1329
Fitzgerald S, 2240
Fiuza D, 1536
Flamen PB, 30
Fleck E, 175, 878, 1443
Fleischmann KE, 1683
Flores-Ramirez R, 208
Fogel RI, 1910
Follmann D, 1093
Forfang K, 485
Formigari R, 1707
Fowler MB, 1692
Frampton C, 1781
Franceschini L, 1808, 2080
Franco ACD, 1329
Franz MR, 333, 920
Fraser CD Jr., 1700
Freedberg NA, 1910
Frenneaux MP, 1062
Friedman AH, 1129
Friedman JD, 144
Friedman PL, 1386, 1665
Friedman RA, 238
Frikke-Schmidt R, 331
Frøland SS, 485
Frolkis I, 316
Fucà G, 548
Fuchs S, 1726
Fujii M, 1228, 2086
Fujita M, 1788
Fukaya T, 425
Fukuchi M, 1436
Fukuda K, 1436
Furberg CD, 1456
Furlong K, 2013
Furman MI, 1571
Fuster V, 1149

Gaita F, 534
Galanos O, 521
Galiñanes M, 711
Ganz LI, 1665
Garberoglio L, 534
Garbin M, 157
Garcia A, 386
Garcia MJ, 329
Gardetto N, 386
Gardin J, 1042
Gardner MA, 705
Garot J, 2031
Garrido M, 51
Garrote C, 1846
Gavazzi A, 183
Gawaz M, 1323
Ge J, 1864
Geetha K, 258
Gehrmann J, 2136
Gentles TL, 201
Georg C, 1430
Georgiou D, 1891
Gepstein L, 1590
Germano G, 144
Gersh BJ, 371, 2053
Gest V, 2101
Ghafouri P, 2126
Ghai A, 585
Ghio S, 183
Ghosh S, 711
Giannuzzi P, 1813
Gibbons RJ, 37
Gielen S, 392
Giesecke NM, 1700
Gilbert EM, 1692
Gillis AM, 1093
Girard SE, 579
Gitt AK, 1827
Glantz SA, 1683
Gobar L, 741
Godsland IF, 689
Gold HK, 1981
Goldberg C, 231
Goldberg RJ, 1571
Goldberg S, 1329
Goldberg SL, 1019
Goldhaber SZ, 215
Goldmuntz E, 2114
Golia G, 1808, 2080
Gómez J, 800
Goodkin GM, 2019
Goodman SG, 2007
Goodwin M, 893
Gore JM, 1571
Goto M, 957
Gottdiener JS, 1042, 1359, 1614
Götte MJW, 808
Gottwik M, 1827
Gouvernet J, 1069
Goy J-J, 1598
Gradus-Pizlo I, 1422
Grande P, 1214
Grandjean JG, 926
Granger CB, 9, 1001
Grayburn PA, 1450
Graziani M, 1808
Greco C, 76
Green GR, 1080
Greenbaum AB, 492
Greenleaf JF, 1141
Griffiths KA, 224
Grifka RG, 251
Grill DE, 2053
Grimm RA, 691
Grinfeld L, 51
Grinfeld R, 51
Gritsch W, 2007
Grover FL, 885
Groves PH, 137
Grundy SM, 1512
Guazzi M, 398
Guazzi MD, 398
Guerci A, 492
Gueret P, 2101
Guermonprez J-L, 1543
Guerrero JL, 641, 1981
Guimond J, 463
Guize L, 163, 1543
Gullestad L, 485
Gurevitch J, 316
Gussak I, 1635

Haass M, 1049
Haberl R, 451
Habib G, 1069
Haifa AL, 258
Hall D, 1475
Hall SA, 1450
Hallstrom AP, 1093
Halperin BD, 1093
Hamada M, 412
Hamano K, 1111
Hambrecht R, 392
Hameed A, 893
Hammill SC, 371, 1635
Han RO, 1981
Handelsman DJ, 224
Handschumacher MD, 641
Hanly P, 1957
Hansen A, 1049
Hara Y, 412
Harrington RA, 9, 492
Harris JR, 761
Harris L, 585
Harris RH, 1754
Harrison A, 379
Harrison DA, 585
Hartmann F, 44
Harumi K, 1916
Hasanah I, 258
Hasegawa S, 1967
Hasin Y, 1839
Haskard DO, 517
Hasri S, 258
Hassan N, 825
Hasselblad V, 1001
Hastings J, 1221
Haude M, 1864
Hauer RNW, 1403
Hauptman PJ, 1252
Hayakawa H, 1916
Hayam G, 1590
Hayase M, 1031
Hayashi M, 1228, 1820, 2086
Hayashi T, 775
Hearne MJ, 1008
Hecht HS, 1506
Hein S, 1443
Heinonen P, 1516
Heinroth-Hoffmann I, 300
Helft G, 1149
Hellkamp AS, 1883
Helms R, 1733
Hennekens CH, 215, 445
Henning RH, 926
Herdeg C, 1430
Hernández E, 1536
Hernandez F Jr, 1008
Hernández-Perera O, 1536
Herrmann J, 1864
Hervé P, 1085
Heusch G, 601
Hevia S, 330, 331
Heyndrickx G, 1598
Hiasa G, 412
Higaki J, 719
Higano ST, 1523
Higashi Y, 863, 1529
Higginson LA, 985
Hilfiker PR, 2126
Hilgers K, 175
Hilgers KF, 878
Hill JN, 1910
Hillegass WB, 1335
Hillier C, 1056
Hirai N, 735
Hirata K, 1310
Hirayama A, 1284
Hirayama H, 70
Hiro T, 270
Hirsh J, 1001
Hiwada K, 412
Hlavin P, 379
Ho KKL, 856
Hochholzer W, 1323
Hödl R, 2006
Hofer J, 392
Hoffmann M, 1645
Holland GA, 1120
Holmes AS, 1851
Holmes DR Jr., 1523, 2053
Honda M, 676
Honda T, 1415
Honda Y, 1329
Hori M, 293, 1284
Horie H, 1565, 1820, 2086

Horowitz JD, 1851
Hoshide S, 871
Hougen TJ, 238
Howard BV, 1943
Howell RH, 1359
Howell TH, 445
Hsieh M-H, 1658
Huang SKS, 904
Huber K, 2006
Hudson MP, 492
Huikuri HV, 1395
Hulzebos EJ, 1794
Humes RA, 2120
Hüppe M, 1963
Husain M, 510
Hwang M-W, 1713

Iacono A, 407
Iaina A, 316, 1775
Idiopathic Ventricular Fibrillation Investigators, 1916
Idris O, 109
Iglesias-Garriz I, 1846
Igoumenidis NE, 124
Iguchi A, 1436
Ihlen H, 726
Iida H, 130
Ikeda H, 93
Ikeda T, 1628
Ikenoue N, 425
Imaizumi T, 93
Imparato A, 1813
Inagaki M, 911
Inamoto N, 719
Indolfi C, 338
Ing FF, 251
Inoue H, 1916
Inoue T, 775, 1871
Inserra C, 183
Ioannidis JPA, 521
Irvine T, 632
Isenberg G, 668
Iskander S, 741
Isner JM, 2131
Itescu S, 189
Ito H, 1713
Iuliano L, 76
Iwasa A, 1415
Iwata M, 418

Jaberansari MT, 1996
Jacobi J, 175, 878, 1351
Jager PL, 81
Jamieson WRE, 885
Janas W, 1975
Jannello A, 2074
Jaskowiak J, 1297
Jayasundera T, 847
Jessen ME, 1450
Jhund PS, 1234, 1367
Jialal I, 2036
Jiang L, 641
Jobin J, 1289
John R, 189
John S, 1351
Johnson RB, 616
Johnston JK, 243
Jollis JG, 998
Jones EA, 1062
Jones HJ, 1858
Jones M, 632
Jones RH, 1210
Jones TK, 593
Jonge N, 1794
Jørgensen S, 1581
Juliano J, 766

Kabbani SS, 1936
Kagaya Y, 1436
Kajiyama G, 863
Kakuta Y, 63
Kalinowski BH, 761
Kallikazaros I, 1277
Kamakura S, 911
Kamishirado H, 775, 1871
Kamohara T, 951
Kanagaratnam L, 1408
Kang D-H, 1604
Kang X, 144
Kapusta L, 1129
Karaalp IS, 893
Karagueuzian HS, 1475
Karas RH, 195
Karasik P, 920
Karcher G, 825
Kario K, 871
Karkavitsas NS, 124
Karpawich PP, 2093, 2120
Karsch KR, 1430
Karvonen MK, 1516
Kaschina E, 2154
Kastrati A, 2066
Katayama K, 270
Katori Y, 1436
Katritsis D, 521
Katus HA, 44
Kauhanen J, 1516
Kaul S, 1135
Kawano H, 735
Kaye DM, 1221, 1246
Kazanagra R, 386
Kazanegra R, 379
Kelion AD, 705
Kelly S, 505
Kelsey SF, 780
Kennon S, 1266
Kenny A, 632
Kenton ML, 2114
Keren G, 1775
Khalil ME, 1757
Khan BV, 440
Khan IA, 542
Khaper N, 1461
Khoury DS, 278
Kiemeneij F, 1598
Kilborn M, 920
Killip D, 208
Kim H-S, 1026, 1604
Kim Y-H, 1475
Kimmel SE, 499, 1297
King SB III, 1016
Kingma JG, 463
Kingma T, 81, 470
Kingwell BA, 975
Kinnaird TD, 2025
Kinoshita M, 1228, 1565, 1820, 2086
Kirkels H, 1794
Kitt MM, 492
Kitzman D, 1042
Kjøller-Hansen L, 1214
Klarich KW, 1036
Klein AL, 691, 1936
Klein W, 2006
Klersy C, 183
Klinkhart W, 1864
Kloner RA, 286
Klöpping C, 1794
Klouche K, 951, 1753
Knez A, 451
Kobayashi H, 871
Kobayashi S, 1111
Kobayashi Y, 1329
Køber L, 1581
Koch KT, 1271, 1316
Kocher A, 189
Kochiadakis GE, 124
Kodama I, 1529
Kodama K, 1284
Koeppen S, 219
Kollum M, 1026
Komai N, 719
Konishi J, 130
Konstam MA, 195
Kontula K, 562
Kooner JS, 517
Kop WJ, 1359
Kopelen HA, 278
Kopp AF, 1430
Kornowski R, 1726
Kosakai Y, 1622
Kottamasu S, 2120
Koukouraki SI, 124
Koulu M, 1516
Kovach JA, 1719
Kovacs R, 754
Kovoor P, 2136
Krajcer Z, 1877
Kramer A, 316
Krantz DS, 1359
Krause E-G, 668
Kraxner W, 2006
Kremastinos DT, 1685
Krenz M, 601
Kribben A, 219
Kricsfeld D, 741, 748
Krier JD, 608
Krishnaswamy P, 379, 386
Krohn BG, 1476
Krone RJ, 499
Kronzon I, 2019
Krucoff MW, 9
Krueger C, 1049
Krumholz HM, 1950
Kubo S, 130
Kuebler W, 1049
Kuecherer H, 1049
Kuettner A, 1430
Kugiyama K, 735
Kuijer JPA, 808
Kumagai K, 1436
Kunichika H, 270
Kuntz RE, 856, 1031
Kuo BI, 1651
Kuperstein R, 1957
Kupferwasser LI, 1077
Kurita T, 911
Kuroe K, 766
Kushner H, 1614
Kusnoor AV, 1700
Kuvin JT, 195
Kuzo RS, 30
Kuzuya T, 293

La Rocca V, 1639
Labat C, 662
Labinaz M, 985
Lacey MJ, 1692
Lacolley P, 662
Lafitte S, 262
Laham RJ, 616
Lahiri A, 458
Lahpor JR, 1794
Lai L-P, 904
Lai S, 144
Lakka TA, 1516
Lakkis NM, 208
Lambert M, 1069
Landesberg G, 1839
Landray MJ, 1858
Landzberg MJ, 1665
Lang C, 451
Lang RM, 2013
Langer A, 2007
Laniado S, 1775
Laramée LA, 985
Larsen RL, 243
Laskey WK, 499
Latouf SE, 1996
Lauer M, 754
Lauer MR, 1106
Lauer MS, 1558
Lavie CJ, 1, 2010
Lavori PW, 19
Law IH, 231
Le E, 1135
Le Guludec D, 786
Le May MR, 985
Leber A, 451
Lebtahi R, 786
Lecarpentier Y, 1085
Ledru F, 1543
Ledudal K, 662
Lee ET, 1943
Lee S-H, 1658
Legrand V, 1598
Lehmann KG, 19, 1836
Leistad E, 624
Lenert L, 379, 386
Lennon R, 1523
Leon MB, 1726
Lerman A, 608, 1523
Lerman LO, 608
Lessard D, 1571
Lev EI, 847
Levine RA, 641
Lewin HC, 144
Lewis TN, 1975
Lewis WR, 2050
Li J, 616
Liao L, 1335
Licciardello G, 534
Liel-Cohen N, 641
Lien W-P, 904
Lietz K, 189
Lightwood J, 1683
Lim T-H, 1604
Lima JAC, 2031
Lin J-L, 904
Lin Y-K, 1658
Lincoff AM, 492
Link MS, 649
Linke A, 392
Little SH, 569
Liu JE, 1943
Liu Y, 957
Lloyd TR, 231
Localio AR, 499
Logue M, 1989
Lombardi F, 157
London GM, 1374
Long J, 766
Longo MD, 818
López-Farré A, 800
Losada A, 1536
Losordo DW, 2131
Loussararian A, 1019
Lu D, 1359
Lu T-M, 1658
Lubbers LJ, 1129
Luccioni R, 1069
Lucet B, 662
Lue H-C, 940
Lukas MA, 1692
Lüscher TF, 1493

Maas ACP, 9
Mabuchi N, 1228, 1820, 2086
MacAulay CM, 492
Macaya C, 1598
MacCarthy PA, 137
MacMahon S, 1781
Madrid AH, 554
Maeda K, 1228, 1820, 2086
Maehara K, 308
Maes AF, 30
Magata Y, 130
Magnani G, 2074
Maguire CT, 2136
Mahaffey KW, 9
Mahoney DW, 1036, 1551
Maines M, 1239
Mair DD, 933
Maisel A, 386
Maisel AS, 379
Maisel WH, 1386
Mäkikallio A, 1395
Mäkikallio TH, 1395
Malenka D, 1008
Malouf JF, 579
Mamede M, 130
Mancini DM, 189
Mangieri E, 76
Mano T, 293
Manzano JG, 554
Marciniak TA, 1950
Marco J, 832
Marcos-Alberca P, 800
Marcus JT, 808
Maresca F, 1639
Marie PY, 825
Marinelli G, 407
Marino P, 1239
Marmur JD, 847
Maron BJ, 649
Marquis J-F, 985
Martinez EE Jr., 900
Martinez J, 51
Marubini E, 1259
Maruyama Y, 308
Marwick TH, 754
Massel D, 569
Masugata H, 262
Masuyama T, 293
Materne P, 1598
Mather KJ, 1344
Mathew V, 2053
Mathewson J, 251
Matsa M, 316
Matsui T, 1228
Matsumori A, 1713
Matsumoto K, 130
Matsumoto T, 93, 1228, 1565, 2086, 2086

Matsuo T, 871
Matsuura H, 863
Matsuzaki M, 270, 1111
Mattei S, 825
Matthews KA, 780
Matthews RV, 1329
Maximal Individual Therapy in Acute Myocardial Infarction (MITRA), 1827
Mazur A, 1100
Mazzera E, 1707
McAnulty JH, 1093
McCredie RJ, 224
McCulloch M, 1303
McDaniel M, 766
McDonald JE, 1056
McDonald KM, 992
McDonald-McGinn D, 2114
McElhinney DB, 2114
McGlynn FJ, 1858
McGrath PD, 1008
McLaughlin PR, 2108
McMurray JJV, 1056, 1234, 1367
McNeil BJ, 1252
McPhail IR, 1381
Medina A, 1536
Mehra MR, 2010
Mehran R, 1026
Mehta SR, 37
Meijboom EJ, 1129
Meinertz T, 1645
Meisner C, 1430
Mele E, 51
Melissano G, 2074
Mendelsohn ME, 195
Menozzi C, 548, 1921
Merz CNB, 780
Mesotten LV, 30
Meuwissen M, 1271, 1316
Middleton KJ, 208, 278
Mikati IA, 741
Miki T, 957
Milani RV, 2010
Miles C, 1297
Miles JS, 215
Miletich JP, 215
Millard S, 1733
Miller DC, 1080
Miller DP, 2059
Miller FA Jr., 579
Mills PG, 1266
Minai K, 1565
Mintz GS, 1026, 1864
Mitamura H, 418
Mitchell A, 219
Mitrani RD, 1395
Mitrovic V, 1443
Miura M, 1436
Miura T, 270, 957
Miwa T, 293
Miyamoto S, 1788
Miyamoto T, 1713
Miyatake K, 1622
Miyazaki A, 1967
Moak JP, 238
Moe RR, 1
Mohr R, 316
Mohr-Kahaly S, 1611
Monahan KD, 153
Monchi M, 2101
Monin J-L, 2101
Mont L, 529
Montalescot G, 2006, 2059
Montes M, 1846
Montgomery S, 579
Morel M-A, 1598
Mori Y, 632
Moriguchi K, 719
Morino Y, 1031
Morishige K, 333
Moro C, 554
Morooka S, 775, 1871
Morris-Thurgood JA, 1062
Mortelmans L, 30
Mosca RS, 231
Mosseri M, 1839
Motoyama T, 735
Mott AR, 1700
Moustapha A, 1877
Mukai S, 63
Mukai T, 130
Mulet J, 529
Mulla NF, 243
Mullany CJ, 579
Muller CA, 1996
Müller F, 485
Mullins CE, 251
Munt BI, 2025
Murata K, 270
Murayama M, 1916
Muro T, 1310
Murohara T, 93
Murphy J, 1781
Murray RD, 691, 1936
Muto M, 308
Muzik O, 2120
Myerburg RJ, 1395
Myers PR, 1335
Myocardial Infarction Registry (MIR) Study Groups, 1827

Nagai N, 1529
Nagaya N, 911, 1788
Nagueh SF, 208, 278
Nakae T, 1628
Nakagawa K, 863, 1529
Nakajima K, 63
Nakamura K, 911
Nakamura M, 63
Nakano A, 957
Nakano T, 63
Nakatani S, 1622
Nallamuthu BK, 689
Nanasato M, 70
Nao T, 1111
Napoli C, 608
Natale A, 1408
Natarajan MK, 37
Navalkar S, 440
Navia J, 51
Ndrepepa G, 1901
Nearing BD, 1719
Negassa A, 1677
Nehgme RA, 238
Nestel PJ, 1929
Neumann F-J, 1323, 2059
Neutel JM, 169
Neutze JM, 201
Nguyen C, 786
Nichol G, 985
Nicholls LA, 641
Nicholls MG, 1781
Niebauer M, 1408
Nielsen TT, 100
Niemann JT, 1753
Nightingale AK, 1062
Nihill MR, 251
Niles NW, 1008
Niroumand M, 1957
Nishii T, 719
Nishikawa H, 63
Nishimura RA, 731
Nishino Y, 957
Nishio R, 1713
Nocerino P, 1639
Nogami A, 1476
Noguchi S, 655
Nohara R, 1788
Noll G, 1493
Nordenberg A, 238
Nordestgaard BG, 331
Noreng M, 100
Noro M, 1628
Norrie J, 1367
Northern New England Cardiovascular Disease Study Group, 1008
Nötzold A, 1963
Nuñez A, 800
Nürnberger J, 219
Nuyts JL, 30
Nyyssönen K, 1516

O'Brien ER, 985
O'Connor GT, 1008
O'Connor KJ, 1252
Ogawa H, 735
Ogawa S, 418, 1916
Ogihara T, 719
Ohama K, 1529
O'Hara GE, 1289
Ohe T, 911
Ohira N, 1565
Ohishi M, 719
Ohkuro M, 719
Ohkusa T, 1111
Ohman EM, 9, 492, 1883
Ohmori K, 262, 624
Ohnesorge B, 1430
Ohnishi M, 1228, 1820, 2086
Ohnishi T, 63
Ohnuma Y, 957
Ohtsuka T, 412
Ohuchi H, 1967
Okamura A, 719
O'Kane KPJ, 1367
Okano Y, 1788
Okatani Y, 425
O'Keefe JH, 1
Okumura K, 1415
Okura H, 1031
Oldenburg O, 219
O'Leary E, 741, 748
Oliveri R, 51
Olson M, 780
O'Neill W, 51
Ono Y, 1967
Onogi F, 308
Opie LH, 1996
Organization to Assess Strategies for Ischemic Syndromes (OASIS) Investigators T, 475
Ormerod OJM, 705
Oron U, 1590
Orszulak TA, 579
Ortega J, 554
Orzan F, 534
Osende JI, 847, 1149
Oshima A, 1031
Oshima T, 863
Osman AF, 2010
Oster G, 1692
Otsuji Y, 641
Otsuka A, 719
Ottesen MM, 1581
Ovaert C, 2008
Owens J, 780
Oz MC, 189

Paavonen K, 562
Pache J, 2066
Packer M, 1692
Padmanabhan N, 1056
Pagnotta P, 2074
Palacios I, 51
Palmieri V, 1943
Panagiotakos D, 1277
Pandian NG, 195, 649
Panza JA, 1614
Paolini I, 1891
Papademetriou V, 1359
Paparella N, 548
Papatheodorou A, 1864
Paraskevaidis IA, 1685
Parisi F, 1707
Park S-J, 1604
Park S-W, 1604
Parker JD, 505
Parmar RJ, 2042
Parmley WW, 323, 686, 964, 1467, 1749, 2002
Parthasarathy S, 440
Pasquini L, 1707
Pasternack M, 562
Patel AR, 195
Paulsen PK, 100
Pavese F, 407
Pavia S, 1408
Pawlus E, 337
Paz Y, 316
Pechlaner C, 2007
Pegge NC, 137
Pelliccia A, 598
Pellikka PA, 1036, 1551
Peña G, 554
Penny WF, 766
Pepine CJ, 780
Perez M, 238
Pergola V, 1069
Perouansky M, 1839
Perras ST, 1614
Perry J, 251
Pesonen U, 1516
Peters B, 262
Peterson ED, 885, 1883
Peterson JF, 766
Peterson KL, 766
Peterson TA, 624
Peto R, 1474
Petrie MC, 1056
Pevni D, 316
Pham Q, 632
Philip E, 1069
Philipp T, 219
Piek JJ, 1271, 1316
Pierre A, 1726
Piers DA, 81
Pietsch P, 668
Piippo K, 562
Piper HM, 300
Pislaru C, 1141
Pitt B, 1456
Pitzalis MV, 1259
Piva R, 1891
Plewan A, 1901
Pogatsa-Murray G, 1323
Poirier P, 463
Pomeroy S, 1929
Pönicke K, 300
Popma JJ, 856, 1031, 1329, 1359
Porter TR, 741, 748
Portman MA, 593
Post MJ, 616
Potter MA, 2042
Powell JL, 1093
Prasad A, 117
Praticò D, 76
Pregla R, 1443
Prendergast BD, 137
Price CP, 1266
Pringle SD, 1800
Priori SG, 911
PROCAGENE Study Investigators, 1536
Pruim J, 81
Prystowsky EN, 1910
Przyklenk K, 286
Pu W, 2136
Pucci PD, 793
Puga FJ, 933
Purcaro A, 1891
PURSUIT Investigators, 492

Quigley JF, 1359
Quinton H, 1008
Quyyumi AA, 117, 510

Radford MJ, 1950
Raitt MH, 1093
Rajasinghe HA, 189
Rakugi H, 719
Ramahi TM, 818
Ramanna H, 1403
Ranjadayalan K, 1266
Rao PS, 948
Raoult D, 1069
Rauchhaus M, 2010
Ravaglia R, 157
Raviele A, 1921
Razack V, 2108
Rebollo JG, 554
Recusani F, 183
Reeder GS, 2053
Registry Committee of the Society for Cardiac Angiography Interventions, 499
Regitz-Zagrosek V, 175, 878, 1443
Reguero JR, 329, 331
Rehman MA, 258
Reichek N, 780
Reis SE, 780
Reiser M, 451
RESTORE group, 1199
Reul GJ Jr., 1700
Rhinehart RG, 1335
Riccardi R, 534
Richard MF, 847
Richards AM, 1781
Richardt G, 44
Richner R, 1692

Rico L, 800
Ridker PM, 215, 445
Riley MS, 1477
Rimmerman C, 754
Rinelli G, 1707
Rizzon P, 1259
Robbins JA, 847
Robles de Medina EO, 1403, 1794
Rocchini AP, 231
Roden DM, 1100
Rodriguez A, 51
Rodríguez MA, 1846
Rodriguez O, 847
Rodriguez OJ, 1149
Rodríguez-Esparragón F, 1536
Rodríguez-Pérez JC, 1536
Rodriguez-Porcel M, 608
Roe MT, 9
Roger VL, 1036
Rogers WJ, 780
Rohlfs K, 818
Roman MJ, 1943
Romero J, 800
Roos L, 992
Rosahl W, 1827
Rosales O, 1877
Rosanio S, 2042, 2074
Rose EA, 189
Ross J Jr., 766
Rossi A, 1808, 2080
Röth E, 1996
Roubin GS, 2074
Rubay J, 2008
Rubenfire M, 689
Rudnicki A, 1374
Runge M, 1303
Runge MS, 2042
Ruschitzka FT, 1493
Rusk RA, 632
Russo PE, 407
Rutledge T, 780
Rutsch W, 1598
Ryan TJ, 59

Sacchetti S, 1754
Sader MA, 224
Safar ME, 163, 662, 1374
Sage PR, 1851
Sahn DJ, 632
Saint S, 689
Saito T, 308
Saitoh S-i, 308
Sakabe K, 1628
Sakai H, 270
Sakata T, 1628
Sakata Y, 293
Sakurada H, 1628
Saliba W, 1408
Salonen JT, 1516
Salonen R, 1516
Samady H, 818
Sanada M, 1529
Sánchez A, 554
Sánchez de Miguel L, 800
Sandmann S, 2154
Santanam N, 440
Santoro GM, 793
Sanz G, 529
Sarda L, 786
Sasaki O, 412
Sasaki S, 863, 1529
Sasayama S, 1713, 1788
Sasson Z, 1957
Sato K, 616
Sato S, 1436
Sattar N, 1367
Sawada S, 754
Sawada SG, 1422
Sawaki M, 1228, 2086
Scaglione M, 534
Scapellato F, 1813
Schächinger V, 839
Schäfer M, 300
Schaper J, 1443
Schechter C, 1149
Scheinin M, 1516
Schiele R, 1827
Schiller NB, 2023
Schlaich MP, 1351
Schlüter K-D, 300
Schmidt G, 1901
Schmidt H, 2010
Schmidt U, 1981
Schmidtke C, 1963
Schmieder RE, 175, 878, 1351
Schmitt C, 1901
Schmitt M, 1062
Schmitz G, 1351
Schneider DS, 238
Schneider M, 1351
Schneider S, 1827
Schoene N, 392
Schofield AM, 505
Schömig A, 1323, 1901, 2066
Schotborgh CE, 1316
Schreieck J, 1901
Schroeder S, 1430
Schroth G, 1877
Schühlen H, 2066
Schuler G, 392
Schulte H, 434
Schuyler GT, 1080
Schwammenthal E, 641
Schwartz D, 1775
Schwartz RS, 1329
Schweikert R, 1408
Sciacca RR, 109
Scibilia G, 76
Scott CH, 1120
Scrutinio D, 1259
Sdringola S, 1877
Seals DR, 153
Sebastiani R, 183
Segar DS, 1422
Segovia JG, 554
Seidl K, 1827
Seki K, 270
Sekiguchi H, 1788
Sellke FW, 616
Sellwig M, 839
Semigran MJ, 1981
Senges J, 1827
Serruys PW, 1598
Setsuda M, 63
Sevillano E, 1846
Seward JB, 1141
Shabetai R, 328
Shah AM, 137
Shah PK, 655
Shander D, 2009
Shapira I, 316, 1775
Shapiro S, 1077
Sharaf B, 780
Sharifi BG, 655
Sharir T, 144
Sharma SK, 847
Sharon A, 1755
Sharpe N, 1781
Shavelle DM, 336
Shaw RE, 2240
Sheiban I, 2074
Shemanski L, 1042
Shen W-K, 371
Shenasa M, 1645
Sheppard R, 335
Sheps D, 1775
Sheth T, 1677
Shige H, 1929
Shigematsu Y, 412
Shih H-T, 1093
Shimada K, 871
Shimamoto K, 957
Shimizu M, 719
Shimizu W, 911
Shimokawa H, 333
Shimoni S, 741
Shiozaki T, 130
Shirato K, 1436
Shofti R, 1590
Short L, 754
Shou M, 1726
Shpirer I, 1755
Shroyer ALW, 885
Shubrooks SJ, 1008
Shunk KA, 2031
Shyu L-Y, 1651
Siebelink H-MJ, 81
Sievers H-H, 1963
Sigwart U, 1598
Silver M, 748
Silverberg DS, 1775
Simonneau G, 1085
Simons M, 616
Simoons ML, 492
Singal PK, 1461
Singh TP, 2120
Siu S, 2108
Siu SC, 585
Skaletz-Rorowski A, 337
Skalidis EI, 124
Sketch MH Jr., 1883
Skulstad H, 726
Slama MS, 786
Sleight P, 1588
Sloss LJ, 1665
Smalling RW, 1877
Smith CR, 189
Smith DHG, 169
Smith EOB, 1700
Smith JJ, 195
Smith SC Jr., 2215, 2239
Smulyan H, 1374
Snader CE, 1558
Snapir A, 1516
Socratous F, 1246
Soejima K, 1386, 1665
Solano A, 1921
Soman P, 458
Song J-K, 1604
Song M-G, 1604
Sopko G, 780
Sorrentino M, 2013
Sourander LB, 1395
Spencer KT, 2013
Spencer WH III, 208
Spevack DM, 2019
Spieker LE, 1493
Spittell PC, 1381
Sra JS, 560
Sreeram N, 238
Stabile E, 1639
Stabile G, 1639
STAMI Group, 1259
Standen NB, 711
Stangl V, 668
Stanley AWH Jr., 1199
Staudt A, 668
Stefanadis C, 1277
Steffensen R, 1214
Steg PG, 786
Steinbeck G, 451
Steinbruch S, 1775
Stevenson WG, 1386, 1665
Stewart S, 1851
Stone GW, 2059
Strachan GM, 262
Stratos C, 1277
Strom BL, 1297
Struthers AD, 333, 1800
Sugi K, 1628
Sugimoto T, 1916
Sugimoto Y, 2086
Sun H, 278
Sun S, 951, 1753
Sunagawa K, 911
Superko HR, 1506
Suratwalla S, 189
Suskin N, 1677
Sutton MSJ, 1120
Suyama K, 911
Suzuki H, 63
Suzuki M, 412
Swan H, 562
Swistel DG, 521

Tabata T, 1936
Tabayashi K, 1436
Tadamura E, 130
Tagushi A, 911
Tai C-T, 1651, 1658
Taillefer R, 458
Tajik AJ, 579
Takabatake T, 676
Takami M, 1628
Takamuro M, 1967
Takashima H, 1565
Takayanagi K, 775, 1871
Takeda H, 293
Takeshita A, 333
Takeuchi K, 1310
Takeuchi M, 649
Takiuchi S, 719
Tamada H, 63
Tamaki S-i, 1788
Tanabe H, 641
Tanabe Y, 911
Tanaka H, 153
Tanaka K, 676
Tang W, 951, 1753
Taniyama Y, 719
Tantengco MVT, 2093
Tavazzi L, 183
Tazelaar HD, 579
Tcheng JE, 1883
Tchou P, 1408
Teeling P, 1271
Teirstein PS, 1329
Tejima T, 1628
Temporelli PL, 1813
Tezuka N, 1628
Thakore A, 761
Thambyrajah J, 1858
Therrien J, 2009
Thomas F, 163
Thomas JD, 1936
Thomas RL, 2093
Thompson CR, 2025
Thorpe J, 1135
Thygesen K, 1473
Tighe JF Jr., 1614
Tijssen JGP, 1271, 1316
Timmis AD, 1266
Tio FO, 1726
Tocchi M, 2042
Togni M, 328
Toivonen L, 562
Tomasi C, 548
Tomassoni G, 1408
Topol EJ, 492, 1001, 2059
Torella D, 338
Torp-Pedersen C, 1581
Tosoni P, 2080
Toutouzas K, 1277
Toutouzas P, 1277
Towbin JA, 911
Townend JN, 1858
Toyama J, 1916
Toyoda H, 130
TRACE Study Group, 1581
Trevi GP, 534
Triedman JK, 1665
Tryzelaar JF, 1008
Tsai C-F, 1658
Tsao H-M, 1658
Tseng Y-Z, 904
Tsiamis E, 1277
Tsuchida A, 957
Tsuchiya T, 1415
Tsuda M, 1529
Tsutamoto T, 1228, 1820, 2086
Tsutsui T, 1228, 1820, 2086
Tu JV, 992
Tuinenburg AE, 926
Tummala PP, 893
Tunick PA, 2019
Tunstall-Pedoe H, 1472
Tuomainen T-P, 1516
Turco P, 1639
Twisk JWR, 808
Tybjaerg-Hansen A, 331
Tzeng J-W, 1651
Tzvetanov K, 825

U.S. Carvedilol Heart Failure Study Group, 1692
Uchida T, 775, 1871
Udelson JE, 89, 195, 458
Udink ten Cate FEA, 1129
Ueda K, 1788
Ueda Y, 1284
Ueland T, 485
Uemura H, 1967
Ueno T, 93
Ueyama T, 1111
Uhlig T, 1963
Unger T, 2154
Unnebrink K, 1049
Urano H, 93
Urban LH, 2053
Urbonas A, 1733
Urboniene D, 1733
Uretsky BF, 2042
Uretzky G, 1590
Urheim S, 726

Vaalburg W, 81
Vailloud J-M, 1069
Valenti R, 793
Valkonen V-P, 1516
van Boven AJ, 81
Van de Werf F, 30
van den Heuvel AFM, 470
van der Loos CM, 1271
van der Wal AC, 1271
van der Wall EE, 81
van Domberg RT, 2009
van Eck-Smit BLF, 1316
Van Gelder IC, 926
van Gilst WH, 470, 926
Van Hare GF, 238
van Rossum AC, 808
van Veldhuisen DJ, 470
Vander Dussen L, 243
VanderBrink BA, 649
Vanoli E, 1741
Vardas PE, 124
Varma N, 2144
Vaughn WK, 1877
Vavuranakis M, 1277
Veldtman GR, 2108
Ventura R, 1645
Vera-Llonch M, 1692
Verani MS, 741
Verberne HJ, 1316
Vergani D, 157
Verhorst P, 470
Verma S, 1344
Vernalis M, 1359
Verrier RL, 1719
Veterans Affairs Non–Q-Wave Infarction Strategies in Hospital (VANQWISH) Trial Investigators, 19
Vetter VL, 1129
Viitasalo M, 562
Villemot JP, 825
Violi F, 76
Visser CA, 808
Vitale DF, 1639
Vlahakes GJ, 641
Vogel D, 51
Voigtländer T, 1827
von Birgelen C, 1864
von Eckardstein A, 434

Wackers FJT, 818
Wada A, 1228, 1820, 2086
Wade M, 19
Wait MA, 1450
Wakatsuki A, 425
Waksman R, 1026
Walker F, 2108
Walker PM, 825
Walld R, 992
Wallner K, 655
Walsh EP, 1665
Walter DH, 839
Wang J-K, 940
Wang PJ, 649
Wang Y, 1950
Wani OR, 893
Ward MR, 1031
Warnecke C, 1443
Watanabe H, 1310
Watanabe J, 1436
Watkins MW, 1008
Watrin CH, 1700
Waugh JM, 1975
Webb G, 2009
Webb GD, 585, 1161, 2108
Webb TP, 705
Weber MA, 169
Wei K, 1135
Weil MH, 951, 1753
Weinberg AD, 189
Weinberg PM, 2114
Weintraub WS, 2240
Weisman HF, 2059
Weiss C, 1645
Weissman C, 1839
Weissman NJ, 1614, 1726
Welty TK, 1943
Wennberg D, 1008
Wernecke K-D, 668
Weston SA, 1381
Wetzel M, 1
Wexler D, 1775
Wexler LF, 19
Wheeler DC, 1858
Wickman K, 2136
Wiedermann C, 2007
Wiegand UKH, 44
Wienbergen H, 1827
Wieneke H, 1864
Wietses M, 926
Wiggers H, 100
Wikeby L, 485
Wilcox JN, 655
Wilcox RG, 492
Wilde AAM, 926
Wiles HB, 238
Wilkoff BL, 1093
Willems S, 1645
Willerson JT, 2059
Willett DWL, 1450
Williams JF, 2240
Williams RG, 1161
Williams WG, 2009
Williams WL, 985
Willoughby SR, 1851
Wilson NJ, 201
Witte KKA, 1765
Wittkampf FHM, 1403
Witztum JL, 766
Wolf RE, 1252
Wolf T, 1590
Wolf Y, 1839
Wollman Y, 316
Woods RL, 1221
Worthley SG, 1149
Wright D, 1422
Wu M-H, 940
Wu T, 616
Wuttke RD, 1851

Xie F, 741, 748
Xie T, 1303

Yachnin T, 1775
Yagi T, 1436
Yagihara T, 1967
Yamada J, 1111
Yamada K, 719
Yamada O, 1967
Yamada T, 70
Yamagishi H, 1310
Yamagishi M, 1622
Yamaguchi O, 1284
Yamaguchi T, 1628
Yamamoto K, 293
Yamamoto T, 2086
Yanagitani Y, 719
Yandle TG, 1781
Yang X-M, 601
Yano M, 1111
Yarzbeski J, 1571
Yasuda K, 1967
Yasue H, 735
Yee K-M, 1800
Yellon DM, 1996
Yeung AC, 63
Yi C, 37
Yock PG, 1031, 1329
Yokohama H, 1565
Yokoyama H, 1436
Yoshida O, 70
Yoshikawa J, 1310
Yoshikawa T, 418
Young ST, 1692
Yu M, 2154
Yu W-C, 1658
Yuda S, 1622
Yuhas Y, 316
Yunis C, 1536
Yusuf S, 37, 1677

Zackai EH, 2114
Zahger D, 1839
Zahn R, 1827
Zaman AG, 1149
Zamboni M, 2080
Zanolla L, 1808, 2080
Zapadinsky N, 893
Zapol WM, 1981
Zardini P, 1239, 1808, 2080
Zaretzky A, 1590
Zeiher AM, 839
Zellweger MJ, 144
Zhou YF, 1726
Zidar JP, 1883
Zile MR, 1080
Zimmermann R, 1049
Zipes DP, 1469, 1751, 2004, 2166
Zoghbi WA, 741
Zorzi A, 1239
Zugck C, 1049
Zurbrügg HR, 1443

Journal of the American College of Cardiology
© 2001 by the American College of Cardiology
Published by Elsevier Science Inc.

Vol. 37, No. 8, 2001
ISSN 0735-1097/01/$20.00
PII S0735-1097(01)01411-5

Subject Index: Volume 37

Abciximab
Administration of abciximab to patients receiving tirofiban or eptifibatide: effect on platelet function, 847
Antiplatelet effects of abciximab, tirofiban, and eptifibatide in patients undergoing coronary stenting, 1323
Long-term mortality benefit with abciximab in patients undergoing percutaneous coronary intervention, 2059

Ablation therapy
See also Surgery
Ablation of atrial fibrillation in the rapid pacing canine model using a multi-electrode loop catheter, 1733
Multiple atrial macro-re-entry circuits in adults with repaired congenital heart disease: entrainment mapping combined with three-dimensional electroanatomic mapping, 1665
Optimized mapping of slow pathway ablation guided by subthreshold stimulation: a randomized prospective study in patients with recurrent atrioventricular nodal re-entrant tachycardia, 1645
Response to flecainide infusion predicts long-term success of hybrid pharmacologic and ablation therapy in patients with atrial fibrillation, 1639

ACC
American College of Cardiology-National Cardiovascular Data Registry™ (ACC-NCDR™): Building a National Clinical Data Repository, 2240
American College of Cardiology/Society for Cardiac Angiography and Interventions Clinical Expert Consensus Document on Cardiac Catheterization Laboratory Standards, 2170
ACC/AHA Guidelines for Percutaneous Coronary Intervention (Revision of the 1993 PTCA Guidelines)—Executive Summary, 2215, e-pages: 2239i–lxvi
Clinical expert consensus document on standards for acquisition, measurement and reporting of intravascular ultrasound studies, 1478
Mechanical Cardiac Support 2000: Current Applications and Future Trial Design, 340
Newly elected members of the college, 1158

ACC News
President's page: cardiologists under stress: the response of the American College of Cardiology, 1155
President's page: complementary and alternative medicine: ignore at doctors', patients' peril, 2166
President's page: Convocation address "treat each day as your last and each patient as your first: a personal promise to the profession," 1469
President's page: enhancing the college's advocacy efforts, 325
President's page: health care and the 107th Congress, 966
President's page: patient satisfaction: a personal perspective, 687
President's page: the need for the in(ter)dependent investigator, 1751
President's page: the Neighborhood Heart Watch Program: saving minutes saves lives, 2004

Acetylcholine
Improvement of coronary artery endothelial dysfunction with lipid-lowering therapy: heterogeneity of segmental response and correlation with plasma-oxidized low density lipoprotein, 766
Nitroglycerin withdrawal increases endothelium-dependent vasomotor response to acetylcholine, 505

Action potential
Repolarization-excitability relationship in the human right atrium is unaffected by cycle length, recording site and prior arrhythmias, 920

Acute coronary syndromes
Effects of long-term, moderate-intensity oral anticoagulation in addition to aspirin in unstable angina, 475
Enoxaparin for acute coronary syndromes? (letter), 2007
Impact of coronary artery remodeling on clinical presentation of coronary artery disease: an intravascular ultrasound study, 63
Increased local temperature in human atherosclerotic plaques: an independent predictor of clinical outcome in patients undergoing a percutaneous coronary intervention, 1277
Interaction between chemokines and oxidative stress: possible pathogenic role in acute coronary syndromes, 485
Pre-infarction angina elicits greater myocardial viability on reperfusion after myocardial infarction: a dobutamine stress echocardiographic study, 1846
Reactivation of ischemic events in acute coronary syndromes: results from GUSTO-IIb, 1001
Recurrent unstable angina after directional coronary atherectomy is related to the extent of initial coronary plaque inflammation, 1271
Stable angina and acute coronary syndromes are associated with nitric oxide resistance in platelets, 1851
Therapeutic value of eptifibatide at community hospitals transferring patients to tertiary referral centers early after admission for acute coronary syndromes, 492
Ticlopidine versus aspirin after myocardial infarction (STAMI) trial, 1259

Acute myocardial infarction
See Myocardial infarction

Acute Myocardial Infarction Registry
Primary angioplasty versus intravenous thrombolysis in acute myocardial infarction: can we define subgroups of patients benefiting most from primary angioplasty? Results from the pooled data of the maximal individual therapy in Acute Myocardial Infarction Registry and the Myocardial Infarction Registry, 1827

Acute rheumatic fever
Left ventricular mechanics during and after acute rheumatic fever: contractile dysfunction is closely related to valve regurgitation, 201

Adenosine
Myocardial perfusion imaging findings and the role of adenosine in the warm-up angina phenomenon, 463

Adrenomedullin
Plasma N-terminal pro-brain natriuretic peptide and adrenomedullin: prognostic utility and prediction of benefit from carvedilol in chronic ischemic left ventricular dysfunction, 1781

Afterload
Improvement of afterload mismatch of left atrial booster pump function with positive inotropic agents, 270

Aging
See also Elderly; Pediatric cardiology
Comparative effects of aging in men and women on the properties of the arterial tree, 1374
Importance of age and obesity on the relation between diabetes and left ventricular mass, 1957

Aldosterone
Circadian variation in the effects of aldosterone blockade on heart rate variability and QT dispersion in congestive heart failure, 1800
Failure of aldosterone suppression despite angiotensin- converting enzyme (ACE) inhibitor administration in chronic heart failure is associated with ACE DD genotype, 1808

Aldosterone synthase gene
Aldosterone synthase (CYP11B2) -344 C/T polymorphism is associated with left ventricular structure in human arterial hypertension, 878

Alpha$_2$-adrenergic agonists
Alpha-Methylnorepinephrine, a selective alpha$_2$-adrenergic agonist for cardiac resuscitation, 951

Alpha$_2$-adrenoceptors
An insertion/deletion polymorphism in the $_{2B}$-adrenergic receptor gene is a novel genetic risk factor for acute coronary events, 1516
Evidence for functional presynaptic alpha$_2$-adrenoceptors and their down-regulation in human heart failure, 1246

Alpha-methylnorepinephrine
Alpha-Methylnorepinephrine, a selective alpha$_2$-adrenergic agonist for cardiac resuscitation, 951

Alternative medicine
President's page: complementary and alternative medicine: ignore at doctors', patients' peril, 2166

American College of Cardiology
See ACC

Anabolic steroids
Androgenic anabolic steroids and arterial structure and function in male bodybuilders, 224

Anemia
Effect of correction of mild anemia in severe, resistant congestive heart failure using subcutaneous erythropoietin and intravenous iron: a randomized controlled study, 1775

Anger
Angerlike behavioral state potentiates myocardial ischemia-induced T-wave alternans in canines, 1719

Angina pectoris
See also Chest pain
Clinical risk stratification correlates with the angiographic extent of coronary artery disease in unstable angina, 2053
Effect of aspirin on C-reactive protein as a marker of risk in unstable angina, 1266
Effects of long-term, moderate-intensity oral anticoagulation in addition to aspirin in unstable angina, 475

Estradiol supplementation suppresses hyperventilation- induced attacks in postmenopausal women with variant angina, 735
Myocardial perfusion imaging findings and the role of adenosine in the warm-up angina phenomenon, 463
Pre-infarction angina elicits greater myocardial viability on reperfusion after myocardial infarction: a dobutamine stress echocardiographic study, 1846
Recurrent unstable angina after directional coronary atherectomy is related to the extent of initial coronary plaque inflammation, 1271
Stable angina and acute coronary syndromes are associated with nitric oxide resistance in platelets, 1851
Warm-up effect protects against ischemic left ventricular dysfunction in patients with angina, 705

Angiography
Achieving optimal results with standard balloon angioplasty: can baseline and angiographic variables predict stent-like outcomes?, 1883
Angiography of potential cardiac donors, 1252
Clinical risk stratification correlates with the angiographic extent of coronary artery disease in unstable angina, 2053
Effects of mental stress on coronary epicardial vasomotion and flow velocity in coronary artery disease: relationship with hemodynamic stress responses, 1359
Myocarditis in patients with clinical presentation of myocardial infarction and normal coronary angiograms, 786
New diagnostic criteria for diabetes and coronary artery disease: insights from an angiographic study, 1543
Randomized comparison of a strategy of predischarge coronary angiography versus exercise testing in low- risk patients in the chest pain unit: in-hospital and long-term outcomes, 2042
Ultrafast three-dimensional contrast-enhanced magnetic resonance angiography and imaging in the diagnosis of partial anomalous pulmonary venous drainage, 1120

Angioplasty
See Balloon angioplasty; Percutaneous transluminal coronary angioplasty

Angiotensin-converting enzyme
Angiotensin converting enzyme (ACE) and non-ACE dependent angiotensin II generation in resistant arteries from patients with heart failure and coronary heart disease, 1056
Angiotensin-converting enzyme inhibition enhances a subthreshold stimulus to elicit delayed preconditioning in pig myocardium, 1996
Association of angiotensinogen M235T and A(-6)G gene polymorphisms with coronary heart disease with independence of essential hypertension: the PROCAGENE study, 1536
Relationship between the angiotensin-converting enzyme genotype and the forearm vasodilator response to estrogen replacement therapy in postmenopausal women, 1529

Angiotensin-converting enzyme inhibitors
See also specific agent
Are all angiotensin-converting enzyme inhibitors interchangeable?, 1456
Bradykinin stimulates the release of tissue plasminogen activator in human coronary circulation: effects of angiotensin-converting enzyme inhibitors, 1565
Effect of the angiotensin-converting enzyme inhibitor imidapril on reactive hyperemia in patients with essential hypertension: relationship between treatment periods and resistance artery endothelial function, 863
Failure of aldosterone suppression despite angiotensin- converting enzyme (ACE) inhibitor administration in chronic heart failure is associated with ACE DD genotype, 1808
Influence of carvedilol on hospitalizations in heart failure: incidence, resource utilization and costs, 1692
Reduction of exercise-induced myocardial ischemia during add-on treatment with the angiotensin-converting enzyme inhibitor enalapril in patients with normal left ventricular function and optimal beta blockade, 470
Remarkable medical story: benefits of angiotensin-converting enzyme inhibitors in cardiac patients, 1757
Should an angiotensin-converting enzyme inhibitor be standard therapy for patients with atherosclerotic disease, 1

Angiotensin II
Angiotensin converting enzyme (ACE) and non-ACE dependent angiotensin II generation in resistant arteries from patients with heart failure and coronary heart disease, 1056
Interaction between paracrine tumor necrosis factor-alpha and paracrine angiotensin II during myocardial ischemia, 316

Angiotensin II type 1 receptor
Irbesartan, an angiotensin type 1 receptor inhibitor, regulates markers of inflammation in patients with premature atherosclerosis, 440
Modulation of oxidative stress by a selective inhibition of angiotensin II type 1 receptors in M1 rats, 1461

Angiotensin II type 2 receptor gene
Effect of the angiotensin II type 2-receptor gene (+1675 G/A) on left ventricular structure in humans, 175

Angiotensinogen
Association of angiotensinogen M235T and A(-6)G gene polymorphisms with coronary heart disease with independence of essential hypertension: the PROCAGENE study, 1536

Angiotensin receptors
Differential effects of angiotensin AT_1 and AT_2 receptors on the expression, translation and function of the Na^+-H^+ exchanger and Na^+-HCO_3^- symporter in the rat heart after myocardial infarction, 2154

Animal models and studies
Ablation of atrial fibrillation in the rapid pacing canine model using a multi-electrode loop catheter, 1733
Acute ethanol exposure fails to elicit preconditioning- like protection in in situ rabbit hearts because of its continued presence during ischemia, 601
Adventitial remodeling after angioplasty is associated with expression of tenascin mRNA by adventitial myofibroblasts, 655
Angerlike behavioral state potentiates myocardial ischemia-induced T-wave alternans in canines, 1719
Angiotensin-converting enzyme inhibition enhances a subthreshold stimulus to elicit delayed preconditioning in pig myocardium, 1996
Atherosclerotic aortic component quantification by noninvasive magnetic resonance imaging: an in vivo study in rabbits, 1149
Beta-adrenoceptor stimulation attenuates the hypertrophic effect of alpha-adrenoceptor stimulation in adult rat ventricular cardiomyocytes, 300
Cessation of platelet-mediated cyclic canine coronary occlusion after thrombolysis by combining nitric oxide inhalation with phosphodiesterase-5 inhibition, 1981
Differential effects of angiotensin AT_1 and AT_2 receptors on the expression, translation and function of the Na^+-H^+ exchanger and Na^+-HCO_3^- symporter in the rat heart after myocardial infarction, 2154
Early autonomic and repolarization abnormalities contribute to lethal arrhythmias in chronic ischemic heart failure: characteristics of a novel heart failure model in dogs with postmyocardial infarction left ventricular dysfunction, 1741
Effect of human recombinant vascular endothelial growth $factor_{165}$ on progression of atherosclerotic plaque, 2126
Efficacy of intracoronary or intravenous $VEGF_{165}$ in a pig model of chronic myocardial ischemia, 616
Evaluation of the role of I_{KACh} in atrial fibrillation using a mouse knockout model, 2136
Impact directly over the cardiac silhouette is necessary to produce ventricular fibrillation in an experimental model of commotio cordis, 649
Mechanism of ischemic mitral regurgitation with segmental left ventricular dysfunction: three-dimensional echocardiographic studies in models of acute and chronic progressive regurgitation, 641
Modulation of oxidative stress by a selective inhibition of angiotensin II type 1 receptors in M1 rats, 1461
Multiple endocardial injury in epicardial coronary artery induced downstream microvascular spasm as well as remodeling partly via thromboxane A_2, 308
Prevention of aortic and cardiac fibrosis by spironolactone in old normotensive rats, 662
Quantification of renal blood flow with contrast-enhanced ultrasound, 1135
Redox regulation of MAPK pathways and cardiac hypertrophy in adult rat cardiac myocyte, 676
Renin angiotensin system-dependent hypertrophy as a contributor to heart failure in hypertensive rats: different characteristics from renin angiotensin system- independent hypertrophy, 293
Sildenafil citrate (Viagra) does not exacerbate myocardial ischemia in canine models of coronary artery stenosis, 286
Soluble substances released from postischemic reperfused rat hearts reduce calcium transient and contractility by blocking the L-type calcium channel, 668
Stability of hibernating myocardium in pigs with a chronic left anterior descending coronary artery stenosis: absence of progressive fibrosis in the setting of stable reductions in flow, function and coronary flow reserve, 1989
Therapeutic effects of FTY720, a new immunosuppressive agent, in a murine model of acute viral myocarditis, 1713
Transendocardial delivery of autologous bone marrow enhances collateral perfusion and

regional function in pigs with chronic experimental myocardial ischemia, 1726
Validation of a digital color Doppler flow measurement method for pulmonary regurgitant volumes and regurgitant fractions in an in vivo model and in a chronic animal model of postoperative repaired tetralogy of Fallot, 632

Anomalous origins of the left main coronary artery
Major coronary artery anomalies in a pediatric population: incidence and clinical importance, 593

Anomalous origins of the right coronary artery
Major coronary artery anomalies in a pediatric population: incidence and clinical importance, 593

Anomalous pulmonary veins
Ultrafast three-dimensional contrast-enhanced magnetic resonance angiography and imaging in the diagnosis of partial anomalous pulmonary venous drainage, 1120

Anticoagulation
See also Heparin; Aspirin
Effects of long-term, moderate-intensity oral anticoagulation in addition to aspirin in unstable angina, 475
Risks and benefits of adding anti-platelet therapy to warfarin among patients with prosthetic heart valves: a meta-analysis, 569

Anxiety
History of anxiety disorders is associated with a decreased likelihood of angiographic coronary artery disease in women with chest pain: the WISE study, 780

Aorta
Different clinical features of aortic intramural hematoma versus dissection involving the ascending aorta, 1604
Transesophageal magnetic resonance imaging of the aortic arch and descending thoracic aorta in patients with aortic atherosclerosis, 2031

Aortic arch
Association of chromosome 22q11 deletion with isolated anomalies of aortic arch laterality and branching, 2114
Transesophageal magnetic resonance imaging of the aortic arch and descending thoracic aorta in patients with aortic atherosclerosis, 2031

Aortic dissection
Different clinical features of aortic intramural hematoma versus dissection involving the ascending aorta, 1604

Aortic valve
Activation of the cardiac renin-angiotensin system and increased myocardial collagen expression in human aortic valve disease, 1443
Aortic stenosis with severe left ventricular dysfunction and low transvalvular pressure gradients: risk stratification by low-dose dobutamine echocardiography, 2101
Assessment of aortic regurgitation by transesophageal color Doppler imaging of the vena contracta: validation against an intraoperative aortic flow probe, 1450
Effect of valvular heart disease on maternal and fetal outcome of pregnancy, 893
Left ventricular mechanics during and after acute rheumatic fever: contractile dysfunction is closely related to valve regurgitation, 201
Quality of life in aortic valve replacement: pulmonary autografts versus mechanical prostheses, 1963
Reoperation for prosthetic aortic valve obstruction in the era of echocardiography: trends in diagnostic testing and comparison with surgical findings, 579
Specificity of Doppler echocardiography for the assessment of changes in valvular regurgitation: comparison of side-by-side versus serial interpretation, 1614

Apolipoprotein E
Apolipoprotein E genotype and coronary heart disease (letter), 329

Arrhythmias
See also Atrial fibrillation; Tachycardia; Ventricular fibrillation
Coronary artery revascularization in patients with sustained ventricular arrhythmias in the chronic phase of a myocardial infarction: effects on the electrophysiologic substrate and outcome, 529
Early autonomic and repolarization abnormalities contribute to lethal arrhythmias in chronic ischemic heart failure: characteristics of a novel heart failure model in dogs with postmyocardial infarction left ventricular dysfunction, 1741
Patients at lower risk of arrhythmia recurrence: a subgroup in whom implantable defibrillators may not offer benefit, 1093
Recurrence of symptomatic ventricular arrhythmias in patients with implantable cardioverter defibrillator after the first device therapy: implications for antiarrhythmic therapy and driving restrictions, 1910
Repolarization-excitability relationship in the human right atrium is unaffected by cycle length, recording site and prior arrhythmias, 920

Arterial compliance
Post-prandial remnant lipids impair arterial compliance, 1929

Arterial tree
Comparative effects of aging in men and women on the properties of the arterial tree, 1374

Arteries
See Blood flow; Coronary arteries; Pulmonary arteries

Aspirin
Aspirin inhibits the acute venodilator response to furosemide in patients with chronic heart failure, 1234
Benefit of aspirin plus angiotensin-converting enzyme inhibitor (letter), 1474
Effect of aspirin on C-reactive protein as a marker of risk in unstable angina, 1266
Effects of long-term, moderate-intensity oral anticoagulation in addition to aspirin in unstable angina, 475
Effects of low-dose aspirin on serum C-reactive protein and thromboxane B_2 concentrations: a placebo-controlled study using a highly selective C-reactive protein assay, 2036
Risks and benefits of adding anti-platelet therapy to warfarin among patients with prosthetic heart valves: a meta-analysis, 569
Ticlopidine versus aspirin after myocardial infarction (STAMI) trial, 1259

Assist devices
Exercise performance in patients with end-stage heart failure after implantation of a left ventricular assist device and after heart transplantation: an outlook for permanent assisting?, 1794

Asynchrony
Regional asynchrony during acute myocardial ischemia quantified by ultrasound strain rate imaging, 1141

Atenolol
Lack of efficacy of atenolol for the prevention of neurally mediated syncope in a highly symptomatic population: a prospective, double-blind, randomized and placebo-controlled study, 554

Atherectomy
Recurrent unstable angina after directional coronary atherectomy is related to the extent of initial coronary plaque inflammation, 1271

Atherosclerosis
See also Coronary artery disease
Antibody against oxidized low density lipoprotein may predict progression or regression of atherosclerotic coronary artery disease, 1871
Atherosclerotic aortic component quantification by noninvasive magnetic resonance imaging: an in vivo study in rabbits, 1149
Detection of subclinical coronary atherosclerosis using two-dimensional, high-resolution transthoracic echocardiography, 1422
Effect of human recombinant vascular endothelial growth $factor_{165}$ on progression of atherosclerotic plaque, 2126
Estrogen-induced small low density lipoprotein particles may be atherogenic in postmenopausal women, 425
Extensive development of vulnerable plaques as a pan-coronary process in patients with myocardial infarction: an angioscopic study, 1284
Increased local temperature in human atherosclerotic plaques: an independent predictor of clinical outcome in patients undergoing a percutaneous coronary intervention, 1277
Irbesartan, an angiotensin type 1 receptor inhibitor, regulates markers of inflammation in patients with premature atherosclerosis, 440
Noninvasive detection and evaluation of atherosclerotic coronary plaques with multislice computed tomography, 1430
Plaque distribution and vascular remodeling of ruptured and nonruptured coronary plaques in the same vessel: an intravascular ultrasound study in vivo, 1864
Recurrent unstable angina after directional coronary atherectomy is related to the extent of initial coronary plaque inflammation, 1271
Should an angiotensin-converting enzyme inhibitor be standard therapy for patients with atherosclerotic disease, 1
Transesophageal magnetic resonance imaging of the aortic arch and descending thoracic aorta in patients with aortic atherosclerosis, 2031

Atria
Alterations in potassium channel gene expression in atria of patients with persistent and paroxysmal atrial fibrillation: differential regulation of protein and mRNA levels for K^+ channels, 926
Deceleration time of pulmonary venous diastolic flow is more accurate than the pulmonary artery occlusion pressure in predicting left atrial pressure, 2025
Repolarization-excitability relationship in the human right atrium is unaffected by cycle length, recording site and prior arrhythmias, 920

Atrial appendage
Increased von Willebrand factor in the endothelium as a local predisposing factor for thrombogenesis in overloaded human atrial appendage, 1436

Atrial contraction
Long-term follow-up of atrial contraction after the maze procedure in patients with mitral valve disease, 1622
Atrial ectopic foci
Global distribution of atrial ectopic foci triggering recurrence of atrial tachyarrhythmia after electrical cardioversion of long-standing atrial fibrillation: a bi-atrial basket mapping study, 904
Atrial fibrillation
Ablation of atrial fibrillation in the rapid pacing canine model using a multi-electrode loop catheter, 1733
Alterations in potassium channel gene expression in atria of patients with persistent and paroxysmal atrial fibrillation: differential regulation of protein and mRNA levels for K^+ channels, 926
Difference in the respiratory variation between pulmonary venous and mitral inflow Doppler velocities in patients with constrictive pericarditis with and without atrial fibrillation, 1936
Different patterns of atrial activation in idiopathic atrial fibrillation: simultaneous multisite atrial mapping in patients with paroxysmal and chronic atrial fibrillation, 534
Diurnal rhythms and hemostatic factors in atrial fibrillation (letter), 969
Dofetilide: is the treatment worse than the disease? (editorial), 1106
Electrophysiologic characteristics in initiation of paroxysmal atrial fibrillation from a focal area, 1658
Epidemiology and natural history of atrial fibrillation: clinical implications, 371
Evaluation of the role of I_{KACh} in atrial fibrillation using a mouse knockout model, 2136
Global distribution of atrial ectopic foci triggering recurrence of atrial tachyarrhythmia after electrical cardioversion of long-standing atrial fibrillation: a bi-atrial basket mapping study, 904
Heart rate variability and early recurrence of atrial fibrillation after electrical cardioversion, 157
Increased dispersion and shortened refractoriness caused by verapamil in chronic atrial fibrillation, 1403
Pause-dependent polymorphic ventricular tachycardia during long-term treatment with dofetilide: a placebo-controlled, implantable cardioverter-defibrillator-based evaluation, 1100
Prolonged fractionation of paced right atrial electrograms in patients with atrial flutter and fibrillation, 1651
Response to flecainide infusion predicts long-term success of hybrid pharmacologic and ablation therapy in patients with atrial fibrillation, 1639
Role of transesophageal echocardiography-guided cardioversion of patients with atrial fibrillation, 691
Single oral loading dose of propafenone for pharmacological cardioversion of recent-onset atrial fibrillation, 542
Up-regulation of inositol 1,4,5 trisphospate receptor expression in atrial tissue in patients with chronic atrial fibrillation, 1111
Atrial flutter
Prolonged fractionation of paced right atrial electrograms in patients with atrial flutter and fibrillation, 1651
Atrial natriuretic peptide
Intravenous atrial natriuretic peptide prevents left ventricular remodeling in patients with first anterior acute myocardial infarction, 1820
Atrial septal defects
Minimally invasive or interventional repair of atrial septal defects in children: experience in 171 cases and comparison with conventional strategies, 1707
Right ventricular form and function after percutaneous atrial septal defect device closure, 2108
Ultrafast three-dimensional contrast-enhanced magnetic resonance angiography and imaging in the diagnosis of partial anomalous pulmonary venous drainage, 1120
Atrial tachyarrhythmias
Outcomes of late atrial tachyarrhythmias in adults after the Fontan operation, 585
Atrioventricular block
Dilated cardiomyopathy in isolated congenital complete atrioventricular block: early and long-term risk in children, 1129
Atrioventricular nodal re-entrant tachycardia
Optimized mapping of slow pathway ablation guided by subthreshold stimulation: a randomized prospective study in patients with recurrent atrioventricular nodal re-entrant tachycardia, 1645
Atropine/dobutamine
Comparison of myocardial blood flow during dobutamine-atropine infusion with that after dipyridamole administration in normal men, 130
Autoantibodies
Autoantibodies against the second extracellular loop of $beta_1$-adrenergic receptors predict ventricular tachycardia and sudden death in patients with idiopathic dilated cardiomyopathy, 418
Autografts
Quality of life in aortic valve replacement: pulmonary autografts versus mechanical prostheses, 1963
Autonomic dysfunction
Ambulatory norepinephrine treatment of severe autonomic orthostatic hypotension, 219
Balloon angioplasty
Achieving optimal results with standard balloon angioplasty: can baseline and angiographic variables predict stent-like outcomes?, 1883
Balloon angioplasty for obstructed modified system-pulmonary artery shunts and pulmonary artery stenoses, 940
Concurrent balloon dilation of stenosed aortopulmonary Gore-Tex shunts and branch pulmonary arteries (editorial), 948
Continued benefit of coronary stenting versus balloon angioplasty: five-year clinical follow-up of Benestent-I trial, 1598
Basal vasomotor tone
Physiological role of endogenous endothelin in the regulation of human coronary vasomotor tone, 137
Behçet's syndrome
Vascular endothelial function and oxidative stress mechanisms in patients with Behçet's syndrome, 517
$Beta_1$-adrenergic receptors
Autoantibodies against the second extracellular loop of $beta_1$-adrenergic receptors predict ventricular tachycardia and sudden death in patients with idiopathic dilated cardiomyopathy, 418
Beta-adrenoceptors
Beta-adrenoceptor stimulation attenuates the hypertrophic effect of alpha-adrenoceptor stimulation in adult rat ventricular cardiomyocytes, 300
Beta-blockers
Effectiveness of beta-blocker therapy after acute myocardial infarction in elderly patients with chronic obstructive pulmonary disease or asthma, 1950
Effect of beta-blockers on circulating levels of inflammatory and anti-inflammatory cytokines in patients with dilated cardiomyopathy, 412
Left ventricular inotropic reserve and right ventricular function predict increase of left ventricular ejection fraction after beta-blocker therapy in nonischemic cardiomyopathy, 818
Bilevel positive airway pressure
Effectiveness of BiPAP for congestive heart failure (letter), 1754
Blood flow
See also Coronary blood flow; Myocardial blood flow; Renal blood flow
Additive effects of nicorandil on coronary blood flow during continuous administration of nitroglycerin, 719
Comparison of myocardial blood flow during dobutamine-atropine infusion with that after dipyridamole administration in normal men, 130
Early assessment of regional myocardial blood flow and metabolism in thrombolysis in myocardial infarction flow grade 3 reperfused myocardial infarction using carbon-11-acetate, 30
Quantification of renal blood flow with contrast-enhanced ultrasound, 1135
Blood pressure
See also Hypertension
Should diastolic and systolic blood pressure be considered for cardiovascular risk factors evaluation: a study in middle-aged men and women, 163
Bone marrow
Transendocardial delivery of autologous bone marrow enhances collateral perfusion and regional function in pigs with chronic experimental myocardial ischemia, 1726
Bradykinin
Bradykinin stimulates the release of tissue plasminogen activator in human coronary circulation: effects of angiotensin-converting enzyme inhibitors, 1565
Brain natriuretic peptide
Effect of spironolactone on plasma brain natriuretic peptide and left ventricular remodeling in patients with congestive heart failure, 1228
Effects of intravenous brain natriuretic peptide on regional sympathetic activity in patients with chronic heart failure as compared with healthy control subjects, 1221
Plasma N-terminal pro-brain natriuretic peptide and adrenomedullin: prognostic utility and prediction of benefit from carvedilol in chronic ischemic left ventricular dysfunction, 1781
Rapid bedside test for B-type peptide predicts treatment outcomes in patients admitted for decompensated heart failure: a pilot study, 386
Utility of B-type natriuretic peptide in the diagnosis of congestive heart failure in an urgent-care setting, 379
Brugada syndrome
Assessment of noninvasive markers in identifying

JACC Vol. 37, No. 8, 2001
June 15, 2001:2252–72

patients at risk in the Brugada syndrome: insight into risk stratification, 1628
Clinical diagnosis and risk stratification in patients with Brugada syndrome (editorial), 1635

Bundle branch block
Three-year follow-up of patients with right bundle branch block and ST segment elevation in the right precordial leads, 1916

Bypass graft surgery
See Coronary artery bypass graft surgery

Calcium channels
Soluble substances released from postischemic reperfused rat hearts reduce calcium transient and contractility by blocking the L-type calcium channel, 668

Carbon-11-acetate
Early assessment of regional myocardial blood flow and metabolism in thrombolysis in myocardial infarction flow grade 3 reperfused myocardial infarction using carbon-11-acetate, 30

Cardiac catheterization
American College of Cardiology/Society for Cardiac Angiography and Interventions Clinical Expert Consensus Document on Cardiac Catheterization Laboratory Standards, 2170
Reconstruction of stenotic or occluded iliofemoral veins and inferior vena cava using intravascular stents: re-establishing access for future cardiac catheterization and cardiac surgery, 251

Cardiac resuscitation
Alpha-Methylnorepinephrine, a selective alpha$_2$-adrenergic agonist for cardiac resuscitation, 951

Cardiac tamponade
Color M-mode Doppler flow propagation velocity in cardiac tamponade (letter), 328

Cardiac transplantation
See Heart transplantation

Cardiomyocytes
Beta-adrenoceptor stimulation attenuates the hypertrophic effect of alpha-adrenoceptor stimulation in adult rat ventricular cardiomyocytes, 300
Cardiocyte cytoskeleton in patients with left ventricular pressure overload hypertrophy, 1080

Cardiomyopathy
See also Hypertrophy
Autoantibodies against the second extracellular loop of beta$_1$-adrenergic receptors predict ventricular tachycardia and sudden death in patients with idiopathic dilated cardiomyopathy, 418
Congenital heart block: development of late-onset cardiomyopathy, a previously underappreciated sequela, 238
Dilated cardiomyopathy in dialysis patients—beneficial effects of carvedilol: a double-blind, placebo-controlled trial, 407
Dilated cardiomyopathy in isolated congenital complete atrioventricular block: early and long-term risk in children, 1129
Dobutamine echocardiographic study in patients with nonischemic dilated cardiomyopathy and prognostically borderline values of peak exercise oxygen consumption: 18-month follow-up study, 1685
Echocardiographic insights into the mechanisms of relief of left ventricular outflow tract obstruction after nonsurgical septal reduction therapy in patients with hypertrophic obstructive cardiomyopathy, 208
Effect of beta-blockers on circulating levels of inflammatory and anti-inflammatory cytokines in patients with dilated cardiomyopathy, 412
Left ventricular inotropic reserve and right ventricular function predict increase of left ventricular ejection fraction after beta-blocker therapy in nonischemic cardiomyopathy, 818
Relationship between tumor necrosis factor-alpha production and oxidative stress in the failing heart of patients with dilated cardiomyopathy, 2086

Cardiopulmonary bypass
Effect of short-term prophylactic methylprednisolone on the incidence and severity of postpericardiotomy syndrome in children undergoing cardiac surgery with cardiopulmonary bypass, 1700

Cardiovascular disease
Estrogens, lipids and cardiovascular disease: no easy answers (editorial), 431
Periodontal disease and risk of subsequent cardiovascular disease in U.S. male physicians, 445

Cardioversion
Global distribution of atrial ectopic foci triggering recurrence of atrial tachyarrhythmia after electrical cardioversion of long-standing atrial fibrillation: a bi-atrial basket mapping study, 904
Heart rate variability and early recurrence of atrial fibrillation after electrical cardioversion, 157
Role of transesophageal echocardiography-guided cardioversion of patients with atrial fibrillation, 691
Single oral loading dose of propafenone for pharmacological cardioversion of recent-onset atrial fibrillation, 542

Cardioverter-defibrillator
See Defibrillators and defibrillation

Carotid endarterectomy
Emergency stenting to treat neurological complications occurring after carotid endarterectomy, 2074

Carvedilol
Dilated cardiomyopathy in dialysis patients—beneficial effects of carvedilol: a double-blind, placebo-controlled trial, 407
Influence of carvedilol on hospitalizations in heart failure: incidence, resource utilization and costs, 1692
Plasma N-terminal pro-brain natriuretic peptide and adrenomedullin: prognostic utility and prediction of benefit from carvedilol in chronic ischemic left ventricular dysfunction, 1781

Catheters
Ablation of atrial fibrillation in the rapid pacing canine model using a multi-electrode loop catheter, 1733
High-efficiency endovascular gene delivery via therapeutic ultrasound, 1975

Cerebral infarcts
Hyperinsulinemia and hemostatic abnormalities are associated with silent lacunar cerebral infarcts in elderly hypertensive subjects, 871

Cerivastatin
Rapid improvement of nitric oxide bioavailability after lipid-lowering therapy with cerivastatin within two weeks, 1351

Chemokines
Interaction between chemokines and oxidative stress: possible pathogenic role in acute coronary syndromes, 485

Chest pain
See also Angina pectoris
History of anxiety disorders is associated with a decreased likelihood of angiographic coronary artery disease in women with chest pain: the WISE study, 780

Chest pain unit
Defining the role of chest pain units (editorial), 2050
Randomized comparison of a strategy of predischarge coronary angiography versus exercise testing in low-risk patients in the chest pain unit: in-hospital and long-term outcomes, 2042

Children
See Pediatric cardiology

Cholesterol
See also Hypercholesterolemia; Lipoproteins
Electron beam tomography and National Cholesterol Education Program guidelines in asymptomatic women, 1506

Chronic obstructive pulmonary disease
Effectiveness of beta-blocker therapy after acute myocardial infarction in elderly patients with chronic obstructive pulmonary disease or asthma, 1950

Cigarette smoking
See Smoking

Claudication
Intermittent claudication: an objective office-based assessment, 1381

Clinical studies
Argentine Randomized Study: coronary angioplasty with stenting versus coronary bypass surgery in patients with multiple-vessel disease (ERACI II): 30-day and one-year follow-up results, 51
Continued benefit of coronary stenting versus balloon angioplasty: five-year clinical follow-up of Benestent-I trial, 1598
Development and validation of the Ontario acute myocardial infarction mortality prediction rules, 992
Effect of correction of mild anemia in severe, resistant congestive heart failure using subcutaneous erythropoietin and intravenous iron: a randomized controlled study, 1775
Electron beam tomography and National Cholesterol Education Program guidelines in asymptomatic women, 1506
How useful is hand-carried bedside echocardiography in critically ill patients?, 2019
Impact of diabetes on left ventricular filling pattern in normotensive and hypertensive adults: the Strong Heart Study, 1943
Lack of efficacy of atenolol for the prevention of neurally mediated syncope in a highly symptomatic population: a prospective, double-blind, randomized and placebo-controlled study, 554
Non-Q-wave myocardial infarction following thrombolytic therapy: a comparison of outcomes in patients randomized to invasive or conservative post-infarct assessment strategies in the Veterans Affairs Non-Q-Wave Infarction Strategies In-Hospital (VANQWISH) Trial, 19
Physician-performed point-of-care echocardiography using a laptop platform compared with physical examination in the cardiovascular patient, 2013
Predictive value of systolic and diastolic function for

incident congestive heart failure in the elderly: the Cardiovascular Health Study, 1042
Randomized trial of a noninvasive strategy to reduce hospital stay for patients with low-risk myocardial infarction, 1289
Rapid bedside test for B-type peptide predicts treatment outcomes in patients admitted for decompensated heart failure: a pilot study, 386
Stenting versus thrombolysis in acute myocardial infarction trial (STAT), 985
Survival of patients with diabetes and multivessel coronary artery disease after surgical or percutaneous coronary revascularization: results of a large regional prospective study, 1008
Ticlopidine versus aspirin after myocardial infarction (STAMI) trial, 1259
Utility of B-type natriuretic peptide in the diagnosis of congestive heart failure in an urgent-care setting, 379
Warm-up effect protects against ischemic left ventricular dysfunction in patients with angina, 705

Commotio cordis
Impact directly over the cardiac silhouette is necessary to produce ventricular fibrillation in an experimental model of commotio cordis, 649

Complementary medicine
President's page: complementary and alternative medicine: ignore at doctors', patients' peril, 2166

Computed tomography
See also Electron beam computed tomography; Single-photon emission computed tomography
Correlation of coronary calcification and angiographically documented stenoses in patients with suspected coronary artery disease: results of 1,764 patients, 451
C-reactive protein and electron beam computed tomography: a perfect match? (letter), 971
Electron beam computed tomography in the diagnosis of obstructive coronary artery disease (letter), 689
Evaluating coronary artery disease—where does EBCT fit in? (letter), 335
Noninvasive detection and evaluation of atherosclerotic coronary plaques with multislice computed tomography, 1430
Stress testing and electron beam computed tomography for evaluation of patients with suspected coronary artery disease (letter), 334

Congenital heart block
Congenital heart block: development of late-onset cardiomyopathy, a previously underappreciated sequela, 238

Congenital heart disease
Failure of right ventricular recovery of Fallot patients after pulmonary valve replacement: delay of reoperation or surgical technique? (letter), 2008
Multiple atrial macro-re-entry circuits in adults with repaired congenital heart disease: entrainment mapping combined with three-dimensional electroanatomic mapping, 1665
32nd Bethesda Conference: "Care of the Adult With Congenital Heart Disease," 1162
Outcomes of late atrial tachyarrhythmias in adults after the Fontan operation, 585
Right ventricular form and function after percutaneous atrial septal defect device closure, 2108
Task force 1: the changing profile of congenital heart disease in adult life, 1170
Task force 2: special health care needs of adults with congenital heart disease, 1176
Task force 3: workforce description and educational requirements for the care of adults with congenital heart disease, 1183
Task force 4: organization of delivery systems for adults with congenital heart disease, 1187
Task force 5: adults with congenital heart disease: access to care, 1193

Congestive heart failure
See Heart failure

Contractility
Left ventricular mechanics during and after acute rheumatic fever: contractile dysfunction is closely related to valve regurgitation, 201
Myocardial strain: can we finally measure contractility? (editorial), 731
Quantification of regional contractile function after infarction: strain analysis superior to wall thickening analysis in discriminating infarct from remote myocardium, 808
Soluble substances released from postischemic reperfused rat hearts reduce calcium transient and contractility by blocking the L-type calcium channel, 668

Contrast agents
Quantitative assessment of myocardial perfusion during graded coronary artery stenoses by intravenous myocardial contrast echocardiography, 624

Coronary arteries
Androgenic anabolic steroids and arterial structure and function in male bodybuilders, 224
Bradykinin stimulates the release of tissue plasminogen activator in human coronary circulation: effects of angiotensin-converting enzyme inhibitors, 1565
Comparison of myocardial blood flow during dobutamine-atropine infusion with that after dipyridamole administration in normal men, 130
Congenital coronary artery anomalies in young patients (editorial), 598
Coronary artery revascularization in patients with sustained ventricular arrhythmias in the chronic phase of a myocardial infarction: effects on the electrophysiologic substrate and outcome, 529
Coronary artery stenting in the aged, 856
Extensive development of vulnerable plaques as a pan-coronary process in patients with myocardial infarction: an angioscopic study, 1284
Improvement of coronary artery endothelial dysfunction with lipid-lowering therapy: heterogeneity of segmental response and correlation with plasma-oxidized low density lipoprotein, 766
Major coronary artery anomalies in a pediatric population: incidence and clinical importance, 593
Multiple endocardial injury in epicardial coronary artery induced downstream microvascular spasm as well as remodeling partly via thromboxane A_2, 308
Myocardial perfusion in patients with permanent ventricular pacing and normal coronary arteries, 124
Obesity is independently associated with coronary endothelial dysfunction in patients with normal or mildly diseased coronary arteries, 1523
Physiologic assessment of coronary artery stenosis by coronary flow reserve measurements with transthoracic Doppler echocardiography: comparison with exercise thallium-201 single-photon emission computed tomography, 1310
Postinfarctional remodeling: increased dye intensity in the myocardial risk area after angioplasty of infarct-related coronary artery is associated with reduction of ventricular volumes, 1239
Preprocedural C-reactive protein levels and cardiovascular events after coronary stent implantation, 839
Prevention of aortic and cardiac fibrosis by spironolactone in old normotensive rats, 662
Quantitative assessment of myocardial perfusion during graded coronary artery stenoses by intravenous myocardial contrast echocardiography, 624
Radiation therapy impairs endothelium-dependent vasodilation in humans, 761
Sildenafil citrate (Viagra) does not exacerbate myocardial ischemia in canine models of coronary artery stenosis, 286
Stability of hibernating myocardium in pigs with a chronic left anterior descending coronary artery stenosis: absence of progressive fibrosis in the setting of stable reductions in flow, function and coronary flow reserve, 1989
Unprotected left main coronary artery stenting: correlates of midterm survival and impact of patient selection, 832

Coronary artery bypass graft surgery
Argentine Randomized Study: coronary angioplasty with stenting versus coronary bypass surgery in patients with multiple-vessel disease (ERACI II): 30-day and one-year follow-up results, 51
Coronary artery bypass graft or percutaneous coronary interventions in patients with diabetes: another nail in the coffin or "too close to call?" (editorial), 1016
Early mortality and morbidity of bilateral versus single internal thoracic artery revascularization: propensity and risk modeling, 521
Present-day PTCR versus CABG: a randomized comparison with a different focus and a new result (editorial), 59
When to stress patients after coronary artery bypass surgery? Risk stratification in patients with early and late post-CABG using stress myocardial perfusion SPECT: implications of appropriate clinical strategies, 144

Coronary artery disease
See also Atherosclerosis; Coronary heart disease
Absolute quantification of coronary steal induced by intravenous dipyridamole, 109
Antibody against oxidized low density lipoprotein may predict progression or regression of atherosclerotic coronary artery disease, 1871
Argentine Randomized Study: coronary angioplasty with stenting versus coronary bypass surgery in patients with multiple-vessel disease (ERACI II): 30-day and one-year follow-up results, 51
Bradykinin stimulates the release of tissue plasminogen activator in human coronary circulation: effects of angiotensin-converting enzyme inhibitors, 1565
Clinical risk stratification correlates with the angiographic extent of coronary artery disease in unstable angina, 2053
Clinical significance of antibody against oxidized

low density lipoprotein in patients with atherosclerotic coronary artery disease, 775
Correlation of coronary calcification and angiographically documented stenoses in patients with suspected coronary artery disease: results of 1,764 patients, 451
Detection of subclinical coronary atherosclerosis using two-dimensional, high-resolution transthoracic echocardiography, 1422
Effects of low-dose aspirin on serum C-reactive protein and thromboxane B_2 concentrations: a placebo-controlled study using a highly selective C-reactive protein assay, 2036
Effects of mental stress on coronary epicardial vasomotion and flow velocity in coronary artery disease: relationship with hemodynamic stress responses, 1359
Electron beam computed tomography in the diagnosis of obstructive coronary artery disease (letter), 689
Electron beam tomography and National Cholesterol Education Program guidelines in asymptomatic women, 1506
Enhanced detection of reversible perfusion defects by Tc-99m sestamibi compared to Tc-99m tetrofosmin during vasodilator stress SPECT imaging in mild-to-moderate coronary artery disease, 458
Enhanced external counterpulsation improves exercise tolerance, reduces exercise-induced myocardial ischemia and improves left ventricular diastolic filling in patients with coronary artery disease, 93
Evaluating coronary artery disease—where does EBCT fit in? (letter), 335
Fractional flow reserve, absolute and relative coronary blood flow velocity reserve in relation to the results of technetium-99m sestamibi single-photon emission computed tomography in patients with two-vessel coronary artery disease, 1316
History of anxiety disorders is associated with a decreased likelihood of angiographic coronary artery disease in women with chest pain: the WISE study, 780
Impact of coronary artery remodeling on clinical presentation of coronary artery disease: an intravascular ultrasound study, 63
Late rejection is a predictor of transplant coronary artery disease in children, 243
New diagnostic criteria for diabetes and coronary artery disease: insights from an angiographic study, 1543
No difference in cardiac event-free survival between positron emission tomography-guided and single-photon emission computed tomography-guided patient management, 81
Randomized double-blind placebo-controlled trial of the effect of homocysteine-lowering therapy with folic acid on endothelial function in patients with coronary artery disease, 1858
Stress testing and electron beam computed tomography for evaluation of patients with suspected coronary artery disease (letter), 334
Survival of patients with diabetes and multivessel coronary artery disease after surgical or percutaneous coronary revascularization: results of a large regional prospective study, 1008
Testing our tests: surrogate end points versus driving patient management and outcomes (editorial), 89

Coronary blood flow
Fractional flow reserve, absolute and relative coronary blood flow velocity reserve in relation to the results of technetium-99m sestamibi single-photon emission computed tomography in patients with two-vessel coronary artery disease, 1316

Coronary calcium
Coronary calcium as a risk factor: role in global risk assessment (editorial), 1512
Correlation of coronary calcification and angiographically documented stenoses in patients with suspected coronary artery disease: results of 1,764 patients, 451

Coronary flow reserve
Fractional flow reserve, absolute and relative coronary blood flow velocity reserve in relation to the results of technetium-99m sestamibi single-photon emission computed tomography in patients with two-vessel coronary artery disease, 1316
Physiologic assessment of coronary artery stenosis by coronary flow reserve measurements with transthoracic Doppler echocardiography: comparison with exercise thallium-201 single-photon emission computed tomography, 1310
Stability of hibernating myocardium in pigs with a chronic left anterior descending coronary artery stenosis: absence of progressive fibrosis in the setting of stable reductions in flow, function and coronary flow reserve, 1989

Coronary heart disease
See also Coronary artery disease
Angiotensin converting enzyme (ACE) and non-ACE dependent angiotensin II generation in resistant arteries from patients with heart failure and coronary heart disease, 1056
Apolipoprotein E genotype and coronary heart disease (letter), 329
Association of angiotensinogen M235T and A(-6)G gene polymorphisms with coronary heart disease with independence of essential hypertension: the PROCAGENE study, 1536
Attenuation of endothelin-1 induced vasoconstriction by 17β estradiol is not sustained during long-term therapy in postmenopausal women with coronary heart disease, 1367
Diagnostic value of history in patients with syncope with or without heart disease, 1921
Independent contribution of myocardial perfusion defects to exercise capacity and heart rate recovery for prediction of all-cause mortality in patients with known or suspected coronary heart disease, 1558
Lipoprotein(a) further increases the risk of coronary events in men with high global cardiovascular risk, 434
Mild hypercholesterolemia and premature heart disease (letter), 331
Periodontal disease and risk of subsequent cardiovascular disease in U.S. male physicians, 445

Coronary spasm
Multiple endocardial injury in epicardial coronary artery induced downstream microvascular spasm as well as remodeling partly via thromboxane A_2, 308

Coronary steal
Absolute quantification of coronary steal induced by intravenous dipyridamole, 109

Coronary vasomotor tone and response
Nitroglycerin withdrawal increases endothelium-dependent vasomotor response to acetylcholine, 505
Physiological role of endogenous endothelin in the regulation of human coronary vasomotor tone, 137

C-reactive protein
C-reactive protein and electron beam computed tomography: a perfect match? (letter), 971
Effect of aspirin on C-reactive protein as a marker of risk in unstable angina, 1266
Effects of low-dose aspirin on serum C-reactive protein and thromboxane B2 concentrations: a placebo-controlled study using a highly selective C-reactive protein assay, 2036
Preprocedural C-reactive protein levels and cardiovascular events after coronary stent implantation, 839

C-type natriuretic peptide
C-type natriuretic peptide and vascular remodeling (letter), 333

Cytokines
Effect of beta-blockers on circulating levels of inflammatory and anti-inflammatory cytokines in patients with dilated cardiomyopathy, 412
Transendocardial delivery of autologous bone marrow enhances collateral perfusion and regional function in pigs with chronic experimental myocardial ischemia, 1726

Defibrillators and defibrillation
Effects of biphasic and conventional monophasic defibrillation on postresuscitation myocardial infarction (letter), 1753
Is programmed stimulation in survivors of myocardial infarction helpful? (editorial), 1908
Patients at lower risk of arrhythmia recurrence: a subgroup in whom implantable defibrillators may not offer benefit, 1093
Pause-dependent polymorphic ventricular tachycardia during long-term treatment with dofetilide: a placebo-controlled, implantable cardioverter-defibrillator-based evaluation, 1100
Recurrence of symptomatic ventricular arrhythmias in patients with implantable cardioverter defibrillator after the first device therapy: implications for antiarrhythmic therapy and driving restrictions, 1910
Value of programmed ventricular stimulation of prophylactic internal cardioverter-defibrillator implantation in postinfarction patients preselected by noninvasive risk stratifiers, 1901

Diabetes mellitus
Coronary artery bypass graft or percutaneous coronary interventions in patients with diabetes: another nail in the coffin or "too close to call?" (editorial), 1016
Failure to precondition pathological human myocardium, 711
Impact of diabetes on left ventricular filling pattern in normotensive and hypertensive adults: the Strong Heart Study, 1943
Importance of age and obesity on the relation between diabetes and left ventricular mass, 1957
Improved endothelial function with metformin in type 2 diabetes mellitus, 1344
New diagnostic criteria for diabetes and coronary artery disease: insights from an angiographic study, 1543
Percutaneous and surgical interventions for in-stent restenosis: long-term outcomes and effect of diabetes mellitus, 1877
Prognostic stratification of diabetic patients by exercise echocardiography, 1551
Survival of patients with diabetes and multivessel coronary artery disease after surgical or percutaneous coronary revascularization:

results of a large regional prospective study, 1008

Diagnostic tests
Testing our tests: surrogate end points versus driving patient management and outcomes (editorial), 89

Diastolic blood pressure
Should diastolic and systolic blood pressure be considered for cardiovascular risk factors evaluation: a study in middle-aged men and women, 163

Diastolic function
Difference in the respiratory variation between pulmonary venous and mitral inflow Doppler velocities in patients with constrictive pericarditis with and without atrial fibrillation, 1936
Hemodynamic determinants of the mitral annulus diastolic velocities by tissue Doppler, 278
Left ventricular diastolic dysfunction during demand ischemia: rigor underlies increased stiffness without calcium-mediated tension: amelioration by glycolytic substrate: diastolic dysfunction in demand ischemia, 2144
Predictive value of systolic and diastolic function for incident congestive heart failure in the elderly: the Cardiovascular Health Study, 1042

Dilated cardiomyopathy
See also Cardiomyopathy
Autoantibodies against the second extracellular loop of beta$_1$-adrenergic receptors predict ventricular tachycardia and sudden death in patients with idiopathic dilated cardiomyopathy, 418
Dilated cardiomyopathy in isolated congenital complete atrioventricular block: early and long-term risk in children, 1129
Dobutamine echocardiographic study in patients with nonischemic dilated cardiomyopathy and prognostically borderline values of peak exercise oxygen consumption: 18-month follow-up study, 1685
Effect of beta-blockers on circulating levels of inflammatory and anti-inflammatory cytokines in patients with dilated cardiomyopathy, 412
Relationship between tumor necrosis factor-alpha production and oxidative stress in the failing heart of patients with dilated cardiomyopathy, 2086

Diltiazem
Efficacy and safety of out-of-hospital self-administered single-dose oral drug treatment in the management of infrequent, well-tolerated paroxysmal supraventricular tachycardia, 548

Dipyridamole
Absolute quantification of coronary steal induced by intravenous dipyridamole, 109
Comparison of myocardial blood flow during dobutamine-atropine infusion with that after dipyridamole administration in normal men, 130
Myocardial perfusion in patients with permanent ventricular pacing and normal coronary arteries, 124

Diurnal rhythms
Diurnal rhythms and hemostatic factors in atrial fibrillation (letter), 969

Dobutamine
Comparison of myocardial blood flow during dobutamine-atropine infusion with that after dipyridamole administration in normal men, 130
Improvement of afterload mismatch of left atrial booster pump function with positive inotropic agents, 270

Dobutamine echocardiography
See also Echocardiography
Aortic stenosis with severe left ventricular dysfunction and low transvalvular pressure gradients: risk stratification by low-dose dobutamine echocardiography, 2101
Dobutamine echocardiographic study in patients with nonischemic dilated cardiomyopathy and prognostically borderline values of peak exercise oxygen consumption: 18-month follow-up study, 1685
Prediction of mortality using dobutamine echocardiography, 754
Pre-infarction angina elicits greater myocardial viability on reperfusion after myocardial infarction: a dobutamine stress echocardiographic study, 1846
Real-time perfusion imaging with low mechanical index pulse inversion Doppler imaging, 748
Real-time three-dimensional dobutamine stress echocardiography in assessment of ischemia: comparison with two-dimensional dobutamine stress echocardiography, 1303

Dofetilide
Dofetilide: is the treatment worse than the disease? (editorial), 1106
Pause-dependent polymorphic ventricular tachycardia during long-term treatment with dofetilide: a placebo-controlled, implantable cardioverter-defibrillator-based evaluation, 1100

Doppler echocardiography
See also Echocardiography
Accurate noninvasive estimation of pulmonary vascular resistance by Doppler echocardiography in patients with chronic heart failure, 1813
Assessment of aortic regurgitation by transesophageal color Doppler imaging of the vena contracta: validation against an intraoperative aortic flow probe, 1450
Color M-mode Doppler flow propagation velocity in cardiac tamponade (letter), 328
Difference in the respiratory variation between pulmonary venous and mitral inflow Doppler velocities in patients with constrictive pericarditis with and without atrial fibrillation, 1936
Hemodynamic determinants of the mitral annulus diastolic velocities by tissue Doppler, 278
Physiologic assessment of coronary artery stenosis by coronary flow reserve measurements with transthoracic Doppler echocardiography: comparison with exercise thallium-201 single-photon emission computed tomography, 1310
Prognostic value of Doppler echocardiographic mitral inflow patterns: implications with risk stratification in patients with chronic congestive heart failure, 1049
Real-time perfusion imaging with low mechanical index pulse inversion Doppler imaging, 748
Regional myocardial systolic function during acute myocardial ischemia assessed by strain Doppler echocardiography, 726
Specificity of Doppler echocardiography for the assessment of changes in valvular regurgitation: comparison of side-by-side versus serial interpretation, 1614
Validation of a digital color Doppler flow measurement method for pulmonary regurgitant volumes and regurgitant fractions in an in vivo model and in a chronic animal model of postoperative repaired tetralogy of Fallot, 632

Echocardiography
See also Doppler echocardiography; Dobutamine echocardiography
Detection of subclinical coronary atherosclerosis using two-dimensional, high-resolution transthoracic echocardiography, 1422
Echocardiographic insights into the mechanisms of relief of left ventricular outflow tract obstruction after nonsurgical septal reduction therapy in patients with hypertrophic obstructive cardiomyopathy, 208
Echocardiography predicts embolic events in infective endocarditis, 1069
Echocardiography predicts embolic events in infective endocarditis (editorial), 1077
Hand-held echocardiography: revolution or hassle? (editorial), 2023
How useful is hand-carried bedside echocardiography in critically ill patients?, 2019
Mechanism of ischemic mitral regurgitation with segmental left ventricular dysfunction: three-dimensional echocardiographic studies in models of acute and chronic progressive regurgitation, 641
Physician-performed point-of-care echocardiography using a laptop platform compared with physical examination in the cardiovascular patient, 2013
Prediction of mortality using dobutamine echocardiography, 754
Prognostic stratification of diabetic patients by exercise echocardiography, 1551
Prognostic value of Doppler echocardiographic mitral inflow patterns: implications with risk stratification in patients with chronic congestive heart failure, 1049
Prognostic value of exercise echocardiography in 2,632 patients ≥65 years of age, 1036
Quantitative assessment of myocardial perfusion during graded coronary artery stenoses by intravenous myocardial contrast echocardiography, 624
Quantitative assessment of myocardial perfusion during graded coronary stenosis by real-time myocardial contract echo refilling curves, 262
Real-time assessment of myocardial perfusion and wall motion during bicycle and treadmill exercise echocardiography: comparison with single photon emission computed tomography, 741
Regional myocardial systolic function during acute myocardial ischemia assessed by strain Doppler echocardiography, 726
Reoperation for prosthetic aortic valve obstruction in the era of echocardiography: trends in diagnostic testing and comparison with surgical findings, 579
Role of transesophageal echocardiography-guided cardioversion of patients with atrial fibrillation, 691
Validation of a digital color Doppler flow measurement method for pulmonary regurgitant volumes and regurgitant fractions in an in vivo model and in a chronic animal model of postoperative repaired tetralogy of Fallot, 632

Editorials
Annual report, 1467
Aortic intramural hematoma: from observation to therapeutic strategies, 1611

Can we assess the efficacy of therapy with neurocardiogenic syncope?, 560
Changing guidelines on conflict of interest, 1749
Clinical diagnosis and risk stratification in patients with Brugada syndrome, 1635
Concurrent balloon dilation of stenosed aortopulmonary Gore-Tex shunts and branch pulmonary arteries, 948
Congenital coronary artery anomalies in young patients, 598
Coronary artery bypass graft or percutaneous coronary interventions in patients with diabetes: another nail in the coffin or "too close to call?", 1016
Coronary calcium as a risk factor: role in global risk assessment, 1512
Defining the role of chest pain units, 2050
Dofetilide: is the treatment worse than the disease?, 1106
Echocardiography predicts embolic events in infective endocarditis, 1077
Effectiveness of primary PTCA: does patient risk matter?, 1836
Estrogens, lipids and cardiovascular disease: no easy answers, 431
Family under attack, 686
Hand-held echocardiography: revolution or hassle?, 2023
Is it time for a randomized trial of surgical treatment of ischemic heart failure?, 1210
Is programmed stimulation in survivors of myocardial infarction helpful?, 1908
Is ST segment elevation non-Q-wave myocardial infarction after thrombolytic therapy a new clinical entity that requires an invasive management strategy?, 26
Measuring the effectiveness of medical care delivery, 998
Myocardial strain: can we finally measure contractility?, 731
Overutilization and underutilization of thrombolysis in routine clinical practice, 1588
Present-day PTCR versus CABG: a randomized comparison with a different focus and a new result, 59
Reflections on attending on the cardiology service, 964
Smoking cessation in heart failure: it is never too late, 1683
Testing our tests: surrogate end points versus driving patient management and outcomes, 89
Vascular endothelial growth factor-induced angiogenesis: crouching tiger or hidden dragon?, 2131
Who are the best role models for the fellows?, 2002
Why did *JACC* reject my manuscript?, 323

Effective refractory period
Repolarization-excitability relationship in the human right atrium is unaffected by cycle length, recording site and prior arrhythmias, 920

Ejection fraction
Left ventricular inotropic reserve and right ventricular function predict increase of left ventricular ejection fraction after beta-blocker therapy in nonischemic cardiomyopathy, 818

Elderly
Coronary artery stenting in the aged, 856
Effectiveness of beta-blocker therapy after acute myocardial infarction in elderly patients with chronic obstructive pulmonary disease or asthma, 1950
Hyperinsulinemia and hemostatic abnormalities are associated with silent lacunar cerebral infarcts in elderly hypertensive subjects, 871
Prediction of sudden cardiac death by fractal analysis of heart rate variability in elderly subjects, 1395
Predictive value of systolic and diastolic function for incident congestive heart failure in the elderly: the Cardiovascular Health Study, 1042
Prognostic value of exercise echocardiography in 2,632 patients ≥65 years of age, 1036

Electroanatomic mapping
Multiple atrial macro-re-entry circuits in adults with repaired congenital heart disease: entrainment mapping combined with three-dimensional electroanatomic mapping, 1665

Electrocardiography
N + 1 difference: a new measure for entrainment mapping, 1386

Electrogram
Prolonged fractionation of paced right atrial electrograms in patients with atrial flutter and fibrillation, 1651

Electron beam computed tomography
See also Computed tomography
Correlation of coronary calcification and angiographically documented stenoses in patients with suspected coronary artery disease: results of 1,764 patients, 451
C-reactive protein and electron beam computed tomography: a perfect match? (letter), 971
Electron beam computed tomography in the diagnosis of obstructive coronary artery disease (letter), 689
Electron beam tomography and National Cholesterol Education Program guidelines in asymptomatic women, 1506
Evaluating coronary artery diseaseemdashwhere does EBCT fit in? (letter), 335
Stress testing and electron beam computed tomography for evaluation of patients with suspected coronary artery disease (letter), 334

Electrophysiology
Different patterns of atrial activation in idiopathic atrial fibrillation: simultaneous multisite atrial mapping in patients with paroxysmal and chronic atrial fibrillation, 534
Electrophysiologic characteristics in initiation of paroxysmal atrial fibrillation from a focal area, 1658
Global distribution of atrial ectopic foci triggering recurrence of atrial tachyarrhythmia after electrical cardioversion of long-standing atrial fibrillation: a bi-atrial basket mapping study, 904
Is programmed stimulation in survivors of myocardial infarction helpful? (editorial), 1908
Left ventricular dysfunction after long-term right ventricular apical pacing in the young, 2093
N + 1 difference: a new measure for entrainment mapping, 1386
Patients at lower risk of arrhythmia recurrence: a subgroup in whom implantable defibrillators may not offer benefit, 1093
Prolonged fractionation of paced right atrial electrograms in patients with atrial flutter and fibrillation, 1651
Sympathetic stimulation produces a greater increase in both transmural and spatial dispersion of repolarization in LQT1 than LQT2 forms of congenital long QT syndrome, 911
Value of programmed ventricular stimulation of prophylactic internal cardioverter-defibrillator implantation in postinfarction patients preselected by noninvasive risk stratifiers, 1901

Embolism
See also Thromboembolism
Echocardiography predicts embolic events in infective endocarditis, 1069
Echocardiography predicts embolic events in infective endocarditis (editorial), 1077

Enalapril
Modulation of alveolar-capillary sodium handling as a mechanism of protection of gas transfer by enalapril, and not by losartan, in chronic heart failure, 398
Reduction of exercise-induced myocardial ischemia during add-on treatment with the angiotensin-converting enzyme inhibitor enalapril in patients with normal left ventricular function and optimal beta blockade, 470

Endocarditis
Echocardiography predicts embolic events in infective endocarditis, 1069

Endocardium
Detailed endocardial mapping accurately predicts the transmural extent of myocardial infarction, 1590

Endothelial function and dysfunction
Coronary endothelial dysfunction in the early months after heart transplantation (letter), 969
Effect of the angiotensin-converting enzyme inhibitor imidapril on reactive hyperemia in patients with essential hypertension: relationship between treatment periods and resistance artery endothelial function, 863
Endothelial dysfunction in patients with chronic heart failure: systemic effects of lower-limb exercise training, 392
Improved endothelial function with metformin in type 2 diabetes mellitus, 1344
Improvement of coronary artery endothelial dysfunction with lipid-lowering therapy: heterogeneity of segmental response and correlation with plasma-oxidized low density lipoprotein, 766
Nitroglycerin withdrawal increases endothelium-dependent vasomotor response to acetylcholine, 505
Obesity is independently associated with coronary endothelial dysfunction in patients with normal or mildly diseased coronary arteries, 1523
Platelet inhibitory effect of nitric oxide in the human coronary circulation: impact of endothelial dysfunction, 510
Preservation of venous endothelial function in the forearm venous capacitance bed of patients with chronic heart failure despite arterial endothelial dysfunction, 1062
Radiation therapy impairs endothelium-dependent vasodilation in humans, 761
Randomized double-blind placebo-controlled trial of the effect of homocysteine-lowering therapy with folic acid on endothelial function in patients with coronary artery disease, 1858
Rapid improvement of nitric oxide bioavailability after lipid-lowering therapy with cerivastatin within two weeks, 1351
Vascular effect of insulin in endothelial dysfunction (letter), 689
Vascular endothelial function and oxidative stress mechanisms in patients with Behçet's syndrome, 517

Endothelin-1
Attenuation of endothelin-1 induced vasoconstriction by 17β estradiol is not

sustained during long-term therapy in postmenopausal women with coronary heart disease, 1367
Endothelin receptor antagonists in congestive heart failure: a new therapeutic principle for the future?, 1493
Physiological role of endogenous endothelin in the regulation of human coronary vasomotor tone, 137
Redox regulation of MAPK pathways and cardiac hypertrophy in adult rat cardiac myocyte, 676

Endothelium
Androgenic anabolic steroids and arterial structure and function in male bodybuilders, 224
Expression of an endothelial-type nitric oxide synthase isoform in human neutrophils: modification by tumor necrosis factor-alpha and during acute myocardial infarction, 800
Heart failure etiology affects peripheral vascular endothelial function after cardiac transplantation, 195
Increased von Willebrand factor in the endothelium as a local predisposing factor for thrombogenesis in overloaded human atrial appendage, 1436
N-Acetylcysteine improves coronary and peripheral vascular function, 117

Energy storage
Energy stores and metabolites in chronic reversibly and irreversibly dysfunctional myocardium in humans, 100

Enhanced external counterpulsation
Enhanced external counterpulsation improves exercise tolerance, reduces exercise-induced myocardial ischemia and improves left ventricular diastolic filling in patients with coronary artery disease, 93

Enoxaparin
Enoxaparin for acute coronary syndromes? (letter), 2007

Entrainment mapping
Multiple atrial macro-re-entry circuits in adults with repaired congenital heart disease: entrainment mapping combined with three-dimensional electroanatomic mapping, 1665
N + 1 difference: a new measure for entrainment mapping, 1386

Eptifibatide
Administration of abciximab to patients receiving tirofiban or eptifibatide: effect on platelet function, 847
Antiplatelet effects of abciximab, tirofiban, and eptifibatide in patients undergoing coronary stenting, 1323
Therapeutic value of eptifibatide at community hospitals transferring patients to tertiary referral centers early after admission for acute coronary syndromes, 492

Erythropoietin
Effect of correction of mild anemia in severe, resistant congestive heart failure using subcutaneous erythropoietin and intravenous iron: a randomized controlled study, 1775

Estradiol
Attenuation of endothelin-1 induced vasoconstriction by 17β estradiol is not sustained during long-term therapy in postmenopausal women with coronary heart disease, 1367
Estradiol supplementation suppresses hyperventilation-induced attacks in postmenopausal women with variant angina, 735

Estrogen
Attenuation of endothelin-1 induced vasoconstriction by 17β estradiol is not sustained during long-term therapy in postmenopausal women with coronary heart disease, 1367
Estradiol supplementation suppresses hyperventilation-induced attacks in postmenopausal women with variant angina, 735
Estrogen-induced small low density lipoprotein particles may be atherogenic in postmenopausal women, 425
Estrogens, lipids and cardiovascular disease: no easy answers (editorial), 431
Relationship between the angiotensin-converting enzyme genotype and the forearm vasodilator response to estrogen replacement therapy in postmenopausal women, 1529

Ethanol
Acute ethanol exposure fails to elicit preconditioning-like protection in in situ rabbit hearts because of its continued presence during ischemia, 601

Exercise
Contrasting clinical properties and exercise responses in obese and lean hypertensive patients, 169
Endothelial dysfunction in patients with chronic heart failure: systemic effects of lower-limb exercise training, 392
Exercise performance in patients with end-stage heart failure after implantation of a left ventricular assist device and after heart transplantation: an outlook for permanent assisting?, 1794
Exercise training intervention after coronary angioplasty: the ETICA trial, 1891
Influence of ventricular morphology on aerobic exercise capacity in patients after the Fontan operation, 1967
Skeletal muscle mass independently predicts peak oxygen consumption and ventilatory response during exercise in noncachectic patients with chronic heart failure, 2080

Exercise testing
Independent contribution of myocardial perfusion defects to exercise capacity and heart rate recovery for prediction of all-cause mortality in patients with known or suspected coronary heart disease, 1558
Prognostic stratification of diabetic patients by exercise echocardiography, 1551
Prognostic value of exercise echocardiography in 2,632 patients ≥65 years of age, 1036
Randomized comparison of a strategy of predischarge coronary angiography versus exercise testing in low-risk patients in the chest pain unit: in-hospital and long-term outcomes, 2042
Real-time assessment of myocardial perfusion and wall motion during bicycle and treadmill exercise echocardiography: comparison with single photon emission computed tomography, 741
Stress testing and electron beam computed tomography for evaluation of patients with suspected coronary artery disease (letter), 334
Warm-up effect protects against ischemic left ventricular dysfunction in patients with angina, 705
When to stress patients after coronary artery bypass surgery? Risk stratification in patients with early and late post-CABG using stress myocardial perfusion SPECT: implications of appropriate clinical strategies, 144

Factor V Leiden
G20210A mutation in the prothrombin gene and the risk of recurrent venous thromboembolism, 215

Fibrillation
See Atrial fibrillation; Ventricular fibrillation

Filling patterns
Enhanced external counterpulsation improves exercise tolerance, reduces exercise-induced myocardial ischemia and improves left ventricular diastolic filling in patients with coronary artery disease, 93
Impact of diabetes on left ventricular filling pattern in normotensive and hypertensive adults: the Strong Heart Study, 1943
Improvement of afterload mismatch of left atrial booster pump function with positive inotropic agents, 270
Prognostic implications of restrictive left ventricular filling in reperfused anterior acute myocardial infarction, 793

Flecainide
Efficacy and safety of out-of-hospital self-administered single-dose oral drug treatment in the management of infrequent, well-tolerated paroxysmal supraventricular tachycardia, 548
Response to flecainide infusion predicts long-term success of hybrid pharmacologic and ablation therapy in patients with atrial fibrillation, 1639

Folic acid
Randomized double-blind placebo-controlled trial of the effect of homocysteine-lowering therapy with folic acid on endothelial function in patients with coronary artery disease, 1858

Fontan operation
Fontan procedure for tricuspid atresia: early and late results of a 25-year experience with 216 patients, 933
Inducibility of intra-atrial reentrant tachycardia after the first two stages of the Fontan sequence, 231
Influence of ventricular morphology on aerobic exercise capacity in patients after the Fontan operation, 1967
Outcomes of late atrial tachyarrhythmias in adults after the Fontan operation, 585

FTY720
Therapeutic effects of FTY720, a new immunosuppressive agent, in a murine model of acute viral myocarditis, 1713

Furosemide
Aspirin inhibits the acute venodilator response to furosemide in patients with chronic heart failure, 1234

Gender
See Men; Women

Gene therapy
High-efficiency endovascular gene delivery via therapeutic ultrasound, 1975

Glycoprotein IIb/IIIa antagonists
Therapeutic value of eptifibatide at community hospitals transferring patients to tertiary referral centers early after admission for acute coronary syndromes, 492

Health care
Measuring the effectiveness of medical care delivery (editorial), 998

Heart block
Congenital heart block: development of late-onset

cardiomyopathy, a previously underappreciated sequela, 238
Dilated cardiomyopathy in isolated congenital complete atrioventricular block: early and long-term risk in children, 1129
Heart disease
See Congenital heart disease; Coronary heart disease
Heart failure
Accurate noninvasive estimation of pulmonary vascular resistance by Doppler echocardiography in patients with chronic heart failure, 1813
Angiotensin converting enzyme (ACE) and non-ACE dependent angiotensin II generation in resistant arteries from patients with heart failure and coronary heart disease, 1056
Aspirin inhibits the acute venodilator response to furosemide in patients with chronic heart failure, 1234
Chronic heart failure and micronutrients, 1765
Early autonomic and repolarization abnormalities contribute to lethal arrhythmias in chronic ischemic heart failure: characteristics of a novel heart failure model in dogs with postmyocardial infarction left ventricular dysfunction, 1741
Effectiveness of BiPAP for congestive heart failure (letter), 1754
Effect of correction of mild anemia in severe, resistant congestive heart failure using subcutaneous erythropoietin and intravenous iron: a randomized controlled study, 1775
Effect of spironolactone on plasma brain natriuretic peptide and left ventricular remodeling in patients with congestive heart failure, 1228
Effects of intravenous brain natriuretic peptide on regional sympathetic activity in patients with chronic heart failure as compared with healthy control subjects, 1221
Effects of posture on cardiac autonomic nervous activity in patients with congestive heart failure, 1788
Endothelial dysfunction in patients with chronic heart failure: systemic effects of lower-limb exercise training, 392
Endothelin receptor antagonists in congestive heart failure: a new therapeutic principle for the future?, 1493
Evidence for functional presynaptic alpha-2 adrenoceptors and their down-regulation in human heart failure, 1246
Exercise performance in patients with end-stage heart failure after implantation of a left ventricular assist device and after heart transplantation: an outlook for permanent assisting?, 1794
Failure of aldosterone suppression despite angiotensin-converting enzyme (ACE) inhibitor administration in chronic heart failure is associated with ACE DD genotype, 1808
Heart failure etiology affects peripheral vascular endothelial function after cardiac transplantation, 195
Independent and additive prognostic value of right ventricular systolic function and pulmonary artery pressure in patients with chronic heart failure, 183
Influence of carvedilol on hospitalizations in heart failure: incidence, resource utilization and costs, 1692
Is it time for a randomized trial of surgical treatment of ischemic heart failure? (editorial), 1210
Left ventricular inotropic reserve and right ventricular function predict increase of left ventricular ejection fraction after beta-blocker therapy in nonischemic cardiomyopathy, 818
Modulation of alveolar-capillary sodium handling as a mechanism of protection of gas transfer by enalapril, and not by losartan, in chronic heart failure, 398
Predictive value of systolic and diastolic function for incident congestive heart failure in the elderly: the Cardiovascular Health Study, 1042
Preservation of venous endothelial function in the forearm venous capacitance bed of patients with chronic heart failure despite arterial endothelial dysfunction, 1062
Prognostic value of Doppler echocardiographic mitral inflow patterns: implications with risk stratification in patients with chronic congestive heart failure, 1049
Rapid bedside test for B-type peptide predicts treatment outcomes in patients admitted for decompensated heart failure: a pilot study, 386
Relationship of current and past smoking to mortality and morbidity in patients with left ventricular dysfunction, 1677
Renin angiotensin system-dependent hypertrophy as a contributor to heart failure in hypertensive rats: different characteristics from renin angiotensin system-independent hypertrophy, 293
Skeletal muscle mass independently predicts peak oxygen consumption and ventilatory response during exercise in noncachectic patients with chronic heart failure, 2080
Smoking cessation in heart failure: it is never too late (editorial), 1683
Surgical anterior ventricular endocardial restoration in the dilated remodeled ventricle after anterior myocardial infarction, 1199
Utility of B-type natriuretic peptide in the diagnosis of congestive heart failure in an urgent-care setting, 379
Heart rate
Age-predicted maximal heart rate revisited, 151
Circadian variation in the effects of aldosterone blockade on heart rate variability and QT dispersion in congestive heart failure, 1800
Heart rate variability and early recurrence of atrial fibrillation after electrical cardioversion, 157
Independent contribution of myocardial perfusion defects to exercise capacity and heart rate recovery for prediction of all-cause mortality in patients with known or suspected coronary heart disease, 1558
Prediction of sudden cardiac death by fractal analysis of heart rate variability in elderly subjects, 1395
Heart transplantation
Angiography of potential cardiac donors, 1252
Coronary endothelial dysfunction in the early months after heart transplantation (letter), 969
Detection and prediction of acute heart transplant rejection with the myocardial T_2 determination provided by a black-blood magnetic resonance imaging sequence, 825
Exercise performance in patients with end-stage heart failure after implantation of a left ventricular assist device and after heart transplantation: an outlook for permanent assisting?, 1794
Heart failure etiology affects peripheral vascular endothelial function after cardiac transplantation, 195
Late rejection is a predictor of transplant coronary artery disease in children, 243
Hematoma
Aortic intramural hematoma: from observation to therapeutic strategies (editorial), 1611
Different clinical features of aortic intramural hematoma versus dissection involving the ascending aorta, 1604
Hemodynamics
Effects of mental stress on coronary epicardial vasomotion and flow velocity in coronary artery disease: relationship with hemodynamic stress responses, 1359
Hemodynamic determinants of the mitral annulus diastolic velocities by tissue Doppler, 278
Hemostatic factors
Diurnal rhythms and hemostatic factors in atrial fibrillation (letter), 969
Heparin
Limitation of vWf meta-analysis in LMWH comparison (letter), 2006
Reactivation of ischemic events in acute coronary syndromes: results from GUSTO-IIb, 1001
HMG-CoA reductase inhibitors
Molecular effects of HMG-CoA reductase inhibitors on smooth muscle cell proliferation (letter), 337
Homocysteine
Randomized double-blind placebo-controlled trial of the effect of homocysteine-lowering therapy with folic acid on endothelial function in patients with coronary artery disease, 1858
Hospitals
Effects of contemporary use of coronary stents on in-hospital mortality, 499
Influence of carvedilol on hospitalizations in heart failure: incidence, resource utilization and costs, 1692
Randomized comparison of a strategy of predischarge coronary angiography versus exercise testing in low-risk patients in the chest pain unit: in-hospital and long-term outcomes, 2042
Randomized trial of a noninvasive strategy to reduce hospital stay for patients with low-risk myocardial infarction, 1289
Therapeutic value of eptifibatide at community hospitals transferring patients to tertiary referral centers early after admission for acute coronary syndromes, 492
Twenty-two year (1975 to 1997) trends in the incidence, in-hospital and long-term case fatality rates from initial Q-wave and non-Q-wave myocardial infarction: a multi-hospital, community-wide perspective, 1571
Hypercholesterolemia
See also Lipoproteins
Hypercholesterolemia impairs myocardial perfusion and permeability: role of oxidative stress and endogenous scavenging activity, 608
Improvement of coronary artery endothelial dysfunction with lipid-lowering therapy: heterogeneity of segmental response and correlation with plasma-oxidized low density lipoprotein, 766
Mild hypercholesterolemia and premature heart disease (letter), 331
Hyperinsulinemia
Hyperinsulinemia and hemostatic abnormalities are associated with silent lacunar cerebral infarcts in elderly hypertensive subjects, 871

Hypertension
See also Pulmonary hypertension
Aldosterone synthase (CYP11B2) -344 C/T polymorphism is associated with left ventricular structure in human arterial hypertension, 878
Association of angiotensinogen M235T and A(-6)G gene polymorphisms with coronary heart disease with independence of essential hypertension: the PROCAGENE study, 1536
Contrasting clinical properties and exercise responses in obese and lean hypertensive patients, 169
Effect of the angiotensin-converting enzyme inhibitor imidapril on reactive hyperemia in patients with essential hypertension: relationship between treatment periods and resistance artery endothelial function, 863
Effect of the angiotensin II type 2-receptor gene (+1675 G/A) on left ventricular structure in humans, 175
Hyperinsulinemia and hemostatic abnormalities are associated with silent lacunar cerebral infarcts in elderly hypertensive subjects, 871
Impact of diabetes on left ventricular filling pattern in normotensive and hypertensive adults: the Strong Heart Study, 1943
Renin angiotensin system-dependent hypertrophy as a contributor to heart failure in hypertensive rats: different characteristics from renin angiotensin system-independent hypertrophy, 293
Should diastolic and systolic blood pressure be considered for cardiovascular risk factors evaluation: a study in middle-aged men and women, 163
Hypertrophy
See also Cardiomyopathy
Beta-adrenoceptor stimulation attenuates the hypertrophic effect of alpha-adrenoceptor stimulation in adult rat ventricular cardiomyocytes, 300
Cardiocyte cytoskeleton in patients with left ventricular pressure overload hypertrophy, 1080
Echocardiographic insights into the mechanisms of relief of left ventricular outflow tract obstruction after nonsurgical septal reduction therapy in patients with hypertrophic obstructive cardiomyopathy, 208
Importance of age and obesity on the relation between diabetes and left ventricular mass, 1957
Redox regulation of MAPK pathways and cardiac hypertrophy in adult rat cardiac myocyte, 676
Renin angiotensin system-dependent hypertrophy as a contributor to heart failure in hypertensive rats: different characteristics from renin angiotensin system-independent hypertrophy, 293
I_{KACh}
Evaluation of the role of I_{KACh} in atrial fibrillation using a mouse knockout model, 2136
Iliofemoral vein
Reconstruction of stenotic or occluded iliofemoral veins and inferior vena cava using intravascular stents: re-establishing access for future cardiac catheterization and cardiac surgery, 251
Imidapril
Effect of the angiotensin-converting enzyme inhibitor imidapril on reactive hyperemia in patients with essential hypertension: relationship between treatment periods and resistance artery endothelial function, 863
Infarction
See Myocardial infarction
Inferior vena cava
Reconstruction of stenotic or occluded iliofemoral veins and inferior vena cava using intravascular stents: re-establishing access for future cardiac catheterization and cardiac surgery, 251
Inositol 1,4,5 trisphospate receptor
Up-regulation of inositol 1,4,5 trisphospate receptor expression in atrial tissue in patients with chronic atrial fibrillation, 1111
Insulin
Vascular effect of insulin in endothelial dysfunction (letter), 689
Internal thoracic artery revascularization
Early mortality and morbidity of bilateral versus single internal thoracic artery revascularization: propensity and risk modeling, 521
Interventional cardiology
Achieving optimal results with standard balloon angioplasty: can baseline and angiographic variables predict stent-like outcomes?, 1883
Antiplatelet effects of abciximab, tirofiban, and eptifibatide in patients undergoing coronary stenting, 1323
Argentine Randomized Study: coronary angioplasty with stenting versus coronary bypass surgery in patients with multiple-vessel disease (ERACI II): 30-day and one-year follow-up results, 51
Continued benefit of coronary stenting versus balloon angioplasty: five-year clinical follow-up of Benestent-I trial, 1598
Effects of contemporary use of coronary stents on in-hospital mortality, 499
Exercise training intervention after coronary angioplasty: the ETICA trial, 1891
Long-term vessel response to a self-expanding coronary stent: a serial volumetric intravascular ultrasound analysis from the ASSURE trial, 1329
Percutaneous and surgical interventions for in-stent restenosis: long-term outcomes and effect of diabetes mellitus, 1877
Preprocedural C-reactive protein levels and cardiovascular events after coronary stent implantation, 839
Survival of patients with diabetes and multivessel coronary artery disease after surgical or percutaneous coronary revascularization: results of a large regional prospective study, 1008
Unprotected left main coronary artery stenting: correlates of midterm survival and impact of patient selection, 832
Intima
Arterial remodeling influences the development of intimal hyperplasia after stent implantation, 70
Intra-atrial reentrant tachycardia
Inducibility of intra-atrial reentrant tachycardia after the first two stages of the Fontan sequence, 231
Intravascular ultrasound
American College of Cardiology clinical expert consensus document on standards for acquisition, measurement and reporting of intravascular ultrasound studies, 1478
Impact of coronary artery remodeling on clinical presentation of coronary artery disease: an intravascular ultrasound study, 63
Long-term vessel response to a self-expanding coronary stent: a serial volumetric intravascular ultrasound analysis from the ASSURE trial, 1329
Noninvasive detection and evaluation of atherosclerotic coronary plaques with multislice computed tomography, 1430
Plaque distribution and vascular remodeling of ruptured and nonruptured coronary plaques in the same vessel: an intravascular ultrasound study in vivo, 1864
Preintervention arterial remodeling affects clinical outcome following stenting: an intravascular ultrasound study, 1031
Quantification of renal blood flow with contrast-enhanced ultrasound, 1135
Regional asynchrony during acute myocardial ischemia quantified by ultrasound strain rate imaging, 1141
Irbesartan
Irbesartan, an angiotensin type 1 receptor inhibitor, regulates markers of inflammation in patients with premature atherosclerosis, 440
Ischemia
See Myocardial ischemia
Isoprostanes
Angioplasty increases coronary sinus F_2-isoprostane formation: evidence for in vivo oxidative stress during PTCA, 76
Left ventricle
Aldosterone synthase (CYP11B2) -344 C/T polymorphism is associated with left ventricular structure in human arterial hypertension, 878
Aortic stenosis with severe left ventricular dysfunction and low transvalvular pressure gradients: risk stratification by low-dose dobutamine echocardiography, 2101
Beneficial effects of ramipril on left ventricular end-diastolic and end-systolic volume indexes after uncomplicated invasive revascularization are associated with a reduction in cardiac events in patients with moderately impaired left ventricular function and no clinical heart failure, 1214
Cardiocyte cytoskeleton in patients with left ventricular pressure overload hypertrophy, 1080
Dilated cardiomyopathy in dialysis patients—beneficial effects of carvedilol: a double-blind, placebo-controlled trial, 407
Early autonomic and repolarization abnormalities contribute to lethal arrhythmias in chronic ischemic heart failure: characteristics of a novel heart failure model in dogs with postmyocardial infarction left ventricular dysfunction, 1741
Echocardiographic insights into the mechanisms of relief of left ventricular outflow tract obstruction after nonsurgical septal reduction therapy in patients with hypertrophic obstructive cardiomyopathy, 208
Effect of spironolactone on plasma brain natriuretic peptide and left ventricular remodeling in patients with congestive heart failure, 1228
Effect of the angiotensin II type 2-receptor gene (+1675 G/A) on left ventricular structure in humans, 175
Enhanced external counterpulsation improves exercise tolerance, reduces exercise-induced myocardial ischemia and improves left

ventricular diastolic filling in patients with coronary artery disease, 93
Exercise performance in patients with end-stage heart failure after implantation of a left ventricular assist device and after heart transplantation: an outlook for permanent assisting?, 1794
Impact of diabetes on left ventricular filling pattern in normotensive and hypertensive adults: the Strong Heart Study, 1943
Importance of age and obesity on the relation between diabetes and left ventricular mass, 1957
Improvement of afterload mismatch of left atrial booster pump function with positive inotropic agents, 270
Intravenous atrial natriuretic peptide prevents left ventricular remodeling in patients with first anterior acute myocardial infarction, 1820
Left ventricular diastolic dysfunction during demand ischemia: rigor underlies increased stiffness without calcium-mediated tension: amelioration by glycolytic substrate: diastolic dysfunction in demand ischemia, 2144
Left ventricular dysfunction after long-term right ventricular apical pacing in the young, 2093
Left ventricular inotropic reserve and right ventricular function predict increase of left ventricular ejection fraction after beta-blocker therapy in nonischemic cardiomyopathy, 818
Left ventricular mechanics during and after acute rheumatic fever: contractile dysfunction is closely related to valve regurgitation, 201
Mechanism of ischemic mitral regurgitation with segmental left ventricular dysfunction: three-dimensional echocardiographic studies in models of acute and chronic progressive regurgitation, 641
Plasma N-terminal pro-brain natriuretic peptide and adrenomedullin: prognostic utility and prediction of benefit from carvedilol in chronic ischemic left ventricular dysfunction, 1781
Prognostic implications of restrictive left ventricular filling in reperfused anterior acute myocardial infarction, 793
Reduction of exercise-induced myocardial ischemia during add-on treatment with the angiotensin-converting enzyme inhibitor enalapril in patients with normal left ventricular function and optimal beta blockade, 470
Relationship of current and past smoking to mortality and morbidity in patients with left ventricular dysfunction, 1677
Warm-up effect protects against ischemic left ventricular dysfunction in patients with angina, 705

Letters to the editor
Apolipoprotein E genotype and coronary heart disease, 329
Benefit of aspirin plus angiotensin-converting enzyme inhibitor, 1474
Color M-mode Doppler flow propagation velocity in cardiac tamponade, 328
Coronary endothelial dysfunction in the early months after heart transplantation, 969
C-reactive protein and electron beam computed tomography: a perfect match?, 971
C-type natriuretic peptide and vascular remodeling, 333
Dispersion of repolarization during induction and termination of ventricular fibrillation, 332
Diurnal rhythms and hemostatic factors in atrial fibrillation, 969
Effectiveness of BiPAP for congestive heart failure, 1754
Effects of biphasic and conventional monophasic defibrillation on postresuscitation myocardial infarction, 1753
Electron beam computed tomography in the diagnosis of obstructive coronary artery disease, 689
Enigma of primary pulmonary hypertension, 1476
Enoxaparin for acute coronary syndromes?, 2007
Evaluating coronary artery disease—where does EBCT fit in?, 335
Failure of right ventricular recovery of Fallot patients after pulmonary valve replacement: delay of reoperation or surgical technique?, 2008
Ideal weight, body composition and lipid levels: an unresolved dilemma?, 2010
Limitation of vWf meta-analysis in LMWH comparison, 2006
Mild hypercholesterolemia and premature heart disease, 331
Molecular effects of HMG-CoA reductase inhibitors on smooth muscle cell proliferation, 337
Papillary muscle hypothesis of idiopathic left ventricular tachycardia, 1475
Real smoker's paradox, 2009
Redefinition of myocardial infarction by a consensus dissenter, 1472
Stress testing and electron beam computed tomography for evaluation of patients with suspected coronary artery disease, 334
Vascular effect of insulin in endothelial dysfunction, 689

Lidocaine
Effects of verapamil and lidocaine on two components of the re-entry circuit of verapamil-sensitive idiopathic left ventricular tachycardia, 1415

Lipid-lowering therapy
Improvement of coronary artery endothelial dysfunction with lipid-lowering therapy: heterogeneity of segmental response and correlation with plasma-oxidized low density lipoprotein, 766
Rapid improvement of nitric oxide bioavailability after lipid-lowering therapy with cerivastatin within two weeks, 1351

Lipids
See also Lipoproteins
Estrogens, lipids and cardiovascular disease: no easy answers (editorial), 431
Ideal weight, body composition and lipid levels: an unresolved dilemma? (letter), 2010
Post-prandial remnant lipids impair arterial compliance, 1929

Lipoprotein
See also Cholesterol; Hypercholesterolemia; Lipids
Clinical significance of antibody against oxidized low density lipoprotein in patients with atherosclerotic coronary artery disease, 775
Estrogen-induced small low density lipoprotein particles may be atherogenic in postmenopausal women, 425
Ideal weight, body composition and lipid levels: an unresolved dilemma? (letter), 2010
Improvement of coronary artery endothelial dysfunction with lipid-lowering therapy: heterogeneity of segmental response and correlation with plasma-oxidized low density lipoprotein, 766
Post-prandial remnant lipids impair arterial compliance, 1929

Lipoprotein(a)
Lipoprotein(a) further increases the risk of coronary events in men with high global cardiovascular risk, 434

Long QT syndrome
Founder mutation of the potassium channel KCNQ1 in long QT syndrome, 562
Sympathetic stimulation produces a greater increase in both transmural and spatial dispersion of repolarization in LQT1 than LQT2 forms of congenital long QT syndrome, 911

Losartan
Modulation of alveolar-capillary sodium handling as a mechanism of protection of gas transfer by enalapril, and not by losartan, in chronic heart failure, 398
Modulation of oxidative stress by a selective inhibition of angiotensin II type 1 receptors in M1 rats, 1461

Low density lipoprotein
See also Lipoprotein
Antibody against oxidized low density lipoprotein may predict progression or regression of atherosclerotic coronary artery disease, 1871
Clinical significance of antibody against oxidized low density lipoprotein in patients with atherosclerotic coronary artery disease, 775
Improvement of coronary artery endothelial dysfunction with lipid-lowering therapy: heterogeneity of segmental response and correlation with plasma-oxidized low density lipoprotein, 766

Macrophage chemoattractant protein-1
Transendocardial delivery of autologous bone marrow enhances collateral perfusion and regional function in pigs with chronic experimental myocardial ischemia, 1726

Magnetic resonance angiography
See also Angiography
Ultrafast three-dimensional contrast-enhanced magnetic resonance angiography and imaging in the diagnosis of partial anomalous pulmonary venous drainage, 1120

Magnetic resonance imaging
Atherosclerotic aortic component quantification by noninvasive magnetic resonance imaging: an in vivo study in rabbits, 1149
Detection and prediction of acute heart transplant rejection with the myocardial T_2 determination provided by a black-blood magnetic resonance imaging sequence, 825
Transesophageal magnetic resonance imaging of the aortic arch and descending thoracic aorta in patients with aortic atherosclerosis, 2031
Ultrafast three-dimensional contrast-enhanced magnetic resonance angiography and imaging in the diagnosis of partial anomalous pulmonary venous drainage, 1120

Maximal heart rate
Age-predicted maximal heart rate revisited, 151

Maze procedure
Long-term follow-up of atrial contraction after the maze procedure in patients with mitral valve disease, 1622

Men
Androgenic anabolic steroids and arterial structure and function in male bodybuilders, 224
Comparative effects of aging in men and women on the properties of the arterial tree, 1374
Lipoprotein(a) further increases the risk of coronary events in men with high global cardiovascular risk, 434

Periodontal disease and risk of subsequent cardiovascular disease in U.S. male physicians, 445
Should diastolic and systolic blood pressure be considered for cardiovascular risk factors evaluation: a study in middle-aged men and women, 163

Metabolites
Energy stores and metabolites in chronic reversibly and irreversibly dysfunctional myocardium in humans, 100

Metformin
Improved endothelial function with metformin in type 2 diabetes mellitus, 1344

Methylprednisolone
Effect of short-term prophylactic methylprednisolone on the incidence and severity of postpericardiotomy syndrome in children undergoing cardiac surgery with cardiopulmonary bypass, 1700

Mitogen-activated protein kinases
Redox regulation of MAPK pathways and cardiac hypertrophy in adult rat cardiac myocyte, 676

Mitral annulus
Hemodynamic determinants of the mitral annulus diastolic velocities by tissue Doppler, 278

Mitral valve
Difference in the respiratory variation between pulmonary venous and mitral inflow Doppler velocities in patients with constrictive pericarditis with and without atrial fibrillation, 1936
Effect of valvular heart disease on maternal and fetal outcome of pregnancy, 893
Left ventricular mechanics during and after acute rheumatic fever: contractile dysfunction is closely related to valve regurgitation, 201
Long-term follow-up of atrial contraction after the maze procedure in patients with mitral valve disease, 1622
Mechanism of ischemic mitral regurgitation with segmental left ventricular dysfunction: three-dimensional echocardiographic studies in models of acute and chronic progressive regurgitation, 641
Percutaneous balloon mitral valvuloplasty in comparison with open mitral valve commissurotomy for mitral stenosis during pregnancy, 900
Prognostic value of Doppler echocardiographic mitral inflow patterns: implications with risk stratification in patients with chronic congestive heart failure, 1049
Specificity of Doppler echocardiography for the assessment of changes in valvular regurgitation: comparison of side-by-side versus serial interpretation, 1614

Mortality
Development and validation of the Ontario acute myocardial infarction mortality prediction rules, 992
Early mortality and morbidity of bilateral versus single internal thoracic artery revascularization: propensity and risk modeling, 521
Effects of contemporary use of coronary stents on in-hospital mortality, 499
Impact of right ventricular involvement on mortality and morbidity in patients with inferior myocardial infarction, 37
Independent contribution of myocardial perfusion defects to exercise capacity and heart rate recovery for prediction of all-cause mortality in patients with known or suspected coronary heart disease, 1558
Long-term mortality benefit with abciximab in patients undergoing percutaneous coronary intervention, 2059
Prediction of mortality using dobutamine echocardiography, 754
Prediction of operative mortality after valve replacement surgery, 885
Rapid bedside test for B-type peptide predicts treatment outcomes in patients admitted for decompensated heart failure: a pilot study, 386
Relationship of current and past smoking to mortality and morbidity in patients with left ventricular dysfunction, 1677

Mustard operation
Myocardial flow reserve in patients with a systemic right ventricle after atrial switch repair, 2120

Myocardial blood flow
Comparison of myocardial blood flow during dobutamine-atropine infusion with that after dipyridamole administration in normal men, 130
Early assessment of regional myocardial blood flow and metabolism in thrombolysis in myocardial infarction flow grade 3 reperfused myocardial infarction using carbon-11-acetate, 30
Quantitative assessment of myocardial perfusion during graded coronary stenosis by real-time myocardial contract echo refilling curves, 262

Myocardial flow reserve
Myocardial flow reserve in patients with a systemic right ventricle after atrial switch repair, 2120

Myocardial infarction
Consequences of overutilization and underutilization of thrombolytic therapy in clinical practice, 1581
Coronary artery revascularization in patients with sustained ventricular arrhythmias in the chronic phase of a myocardial infarction: effects on the electrophysiologic substrate and outcome, 529
Course and prognostic implications of QT interval and QT interval variability after primary coronary angioplasty in acute myocardial infarction, 44
Detailed endocardial mapping accurately predicts the transmural extent of myocardial infarction, 1590
Development and validation of the Ontario acute myocardial infarction mortality prediction rules, 992
Differential effects of angiotensin AT_1 and AT_2 receptors on the expression, translation and function of the Na^+-H^+ exchanger and Na^+-HCO_3^- symporter in the rat heart after myocardial infarction, 2154
Early assessment of regional myocardial blood flow and metabolism in thrombolysis in myocardial infarction flow grade 3 reperfused myocardial infarction using carbon-11-acetate, 30
Effectiveness of beta-blocker therapy after acute myocardial infarction in elderly patients with chronic obstructive pulmonary disease or asthma, 1950
Effects of biphasic and conventional monophasic defibrillation on postresuscitation myocardial infarction (letter), 1753
Expression of an endothelial-type nitric oxide synthase isoform in human neutrophils: modification by tumor necrosis factor-alpha and during acute myocardial infarction, 800
Impact of coronary artery remodeling on clinical presentation of coronary artery disease: an intravascular ultrasound study, 63
Impact of right ventricular involvement on mortality and morbidity in patients with inferior myocardial infarction, 37
Intravenous atrial natriuretic peptide prevents left ventricular remodeling in patients with first anterior acute myocardial infarction, 1820
Is programmed stimulation in survivors of myocardial infarction helpful? (editorial), 1908
Is ST segment elevation non-Q-wave myocardial infarction after thrombolytic therapy a new clinical entity that requires an invasive management strategy? (editorial), 26
Myocardial infarction after vascular surgery: the role of prolonged stress-induced, ST depression-type ischemia, 1839
Myocarditis in patients with clinical presentation of myocardial infarction and normal coronary angiograms, 786
Non-Q-wave myocardial infarction following thrombolytic therapy: a comparison of outcomes in patients randomized to invasive or conservative post-infarct assessment strategies in the Veterans Affairs Non-Q-Wave Infarction Strategies In-Hospital (VANQWISH) Trial, 19
Overutilization and underutilization of thrombolysis in routine clinical practice (editorial), 1588
Postinfarctional remodeling: increased dye intensity in the myocardial risk area after angioplasty of infarct-related coronary artery is associated with reduction of ventricular volumes, 1239
Pre-infarction angina elicits greater myocardial viability on reperfusion after myocardial infarction: a dobutamine stress echocardiographic study, 1846
Primary angioplasty versus intravenous thrombolysis in acute myocardial infarction: can we define subgroups of patients benefiting most from primary angioplasty? Results from the pooled data of the maximal individual therapy in Acute Myocardial Infarction Registry and the Myocardial Infarction Registry, 1827
Prognostic implications of restrictive left ventricular filling in reperfused anterior acute myocardial infarction, 793
Quantification of regional contractile function after infarction: strain analysis superior to wall thickening analysis in discriminating infarct from remote myocardium, 808
Randomized trial of a noninvasive strategy to reduce hospital stay for patients with low-risk myocardial infarction, 1289
Reactivation of ischemic events in acute coronary syndromes: results from GUSTO-IIb, 1001
Redefinition of myocardial infarction by a consensus dissenter (letter), 1472
Risk of acute first myocardial infarction and use of nicotine patches in a general population, 1297
Shifting the open-artery hypothesis downstream: the quest for optimal reperfusion, 9
Stenting versus thrombolysis in acute myocardial infarction trial (STAT), 985
Surgical anterior ventricular endocardial restoration in the dilated remodeled ventricle after anterior myocardial infarction, 1199
Ticlopidine versus aspirin after myocardial infarction (STAMI) trial, 1259
Twenty-two year (1975 to 1997) trends in the incidence, in-hospital and long-term case fatality rates from initial Q-wave and non-Q-wave myocardial infarction: a multi-hospital, community-wide perspective, 1571

Myocardial Infarction Registry
Primary angioplasty versus intravenous thrombolysis in acute myocardial infarction: can we define subgroups of patients benefiting most from primary angioplasty? Results from the pooled data of the maximal individual therapy in Acute Myocardial Infarction Registry and the Myocardial Infarction Registry, 1827
Myocardial ischemia
Acute ethanol exposure fails to elicit preconditioning-like protection in in situ rabbit hearts because of its continued presence during ischemia, 601
Additive effects of nicorandil on coronary blood flow during continuous administration of nitroglycerin, 719
Angerlike behavioral state potentiates myocardial ischemia-induced T-wave alternans in canines, 1719
Early autonomic and repolarization abnormalities contribute to lethal arrhythmias in chronic ischemic heart failure: characteristics of a novel heart failure model in dogs with postmyocardial infarction left ventricular dysfunction, 1741
Efficacy of intracoronary or intravenous $VEGF_{165}$ in a pig model of chronic myocardial ischemia, 616
Interaction between paracrine tumor necrosis factor-alpha and paracrine angiotensin II during myocardial ischemia, 316
Mitochondrial ATP-sensitive K^+ channels play a role in cardioprotection by Na^+-H^+ exchange inhibition against ischemia/reperfusion injury, 957
Myocardial perfusion imaging findings and the role of adenosine in the warm-up angina phenomenon, 463
Real-time three-dimensional dobutamine stress echocardiography in assessment of ischemia: comparison with two-dimensional dobutamine stress echocardiography, 1303
Reduction of exercise-induced myocardial ischemia during add-on treatment with the angiotensin-converting enzyme inhibitor enalapril in patients with normal left ventricular function and optimal beta blockade, 470
Regional asynchrony during acute myocardial ischemia quantified by ultrasound strain rate imaging, 1141
Regional myocardial systolic function during acute myocardial ischemia assessed by strain Doppler echocardiography, 726
Sildenafil citrate (Viagra) does not exacerbate myocardial ischemia in canine models of coronary artery stenosis, 286
Transendocardial delivery of autologous bone marrow enhances collateral perfusion and regional function in pigs with chronic experimental myocardial ischemia, 1726
Warm-up effect protects against ischemic left ventricular dysfunction in patients with angina, 705
Myocardial perfusion
Enhanced detection of reversible perfusion defects by Tc-99m sestamibi compared to Tc-99m tetrofosmin during vasodilator stress SPECT imaging in mild-to-moderate coronary artery disease, 458
Hypercholesterolemia impairs myocardial perfusion and permeability: role of oxidative stress and endogenous scavenging activity, 608
Independent contribution of myocardial perfusion defects to exercise capacity and heart rate recovery for prediction of all-cause mortality in patients with known or suspected coronary heart disease, 1558
Myocardial perfusion imaging findings and the role of adenosine in the warm-up angina phenomenon, 463
Myocardial perfusion in patients with permanent ventricular pacing and normal coronary arteries, 124
Quantitative assessment of myocardial perfusion during graded coronary artery stenoses by intravenous myocardial contrast echocardiography, 624
Quantitative assessment of myocardial perfusion during graded coronary stenosis by real-time myocardial contract echo refilling curves, 262
Real-time assessment of myocardial perfusion and wall motion during bicycle and treadmill exercise echocardiography: comparison with single photon emission computed tomography, 741
Real-time perfusion imaging with low mechanical index pulse inversion Doppler imaging, 748
When to stress patients after coronary artery bypass surgery? Risk stratification in patients with early and late post-CABG using stress myocardial perfusion SPECT: implications of appropriate clinical strategies, 144
Myocardial strain
Myocardial strain: can we finally measure contractility? (editorial), 731
Quantification of regional contractile function after infarction: strain analysis superior to wall thickening analysis in discriminating infarct from remote myocardium, 808
Myocarditis
Myocarditis in patients with clinical presentation of myocardial infarction and normal coronary angiograms, 786
Therapeutic effects of FTY720, a new immunosuppressive agent, in a murine model of acute viral myocarditis, 1713
Myocardium
Angiotensin-converting enzyme inhibition enhances a subthreshold stimulus to elicit delayed preconditioning in pig myocardium, 1996
Detection and prediction of acute heart transplant rejection with the myocardial T_2 determination provided by a black-blood magnetic resonance imaging sequence, 825
Energy stores and metabolites in chronic reversibly and irreversibly dysfunctional myocardium in humans, 100
Failure to precondition pathological human myocardium, 711
Quantification of regional contractile function after infarction: strain analysis superior to wall thickening analysis in discriminating infarct from remote myocardium, 808
Stability of hibernating myocardium in pigs with a chronic left anterior descending coronary artery stenosis: absence of progressive fibrosis in the setting of stable reductions in flow, function and coronary flow reserve, 1989
Myocytes
Redox regulation of MAPK pathways and cardiac hypertrophy in adult rat cardiac myocyte, 676
Myofibroblasts
Adventitial remodeling after angioplasty is associated with expression of tenascin mRNA by adventitial myofibroblasts, 655
N-Acetylcysteine
N-Acetylcysteine improves coronary and peripheral vascular function, 117
Na^+-HCO^- symporter
Differential effects of angiotensin AT_1 and AT_2 receptors on the expression, translation and function of the Na^+-H^+ exchanger and Na^+-HCO_3^- symporter in the rat heart after myocardial infarction, 2154
Na^+-H^+ exchange
Differential effects of angiotensin AT_1 and AT_2 receptors on the expression, translation and function of the Na^+-H^+ exchanger and Na^+-HCO_3^- symporter in the rat heart after myocardial infarction, 2154
Mitochondrial ATP-sensitive K^+ channels play a role in cardioprotection by Na^+-H^+ exchange inhibition against ischemia/reperfusion injury, 957
Negative inotropes
Soluble substances released from postischemic reperfused rat hearts reduce calcium transient and contractility by blocking the L-type calcium channel, 668
Neutrophils
Expression of an endothelial-type nitric oxide synthase isoform in human neutrophils: modification by tumor necrosis factor-alpha and during acute myocardial infarction, 800
Nicorandil
Additive effects of nicorandil on coronary blood flow during continuous administration of nitroglycerin, 719
Nicotine
Risk of acute first myocardial infarction and use of nicotine patches in a general population, 1297
Nitric oxide
Cessation of platelet-mediated cyclic canine coronary occlusion after thrombolysis by combining nitric oxide inhalation with phosphodiesterase-5 inhibition, 1981
Platelet inhibitory effect of nitric oxide in the human coronary circulation: impact of endothelial dysfunction, 510
Preservation of venous endothelial function in the forearm venous capacitance bed of patients with chronic heart failure despite arterial endothelial dysfunction, 1062
Rapid improvement of nitric oxide bioavailability after lipid-lowering therapy with cerivastatin within two weeks, 1351
Stable angina and acute coronary syndromes are associated with nitric oxide resistance in platelets, 1851
Treatment of no-reflow and impaired flow with the nitric oxide donor nitroprusside following percutaneous coronary interventions: human clinical experience, 1335
Nitric oxide synthase
Expression of an endothelial-type nitric oxide synthase isoform in human neutrophils: modification by tumor necrosis factor-alpha and during acute myocardial infarction, 800
Nitroglycerin
Additive effects of nicorandil on coronary blood flow during continuous administration of nitroglycerin, 719
Nitroglycerin withdrawal increases endothelium-dependent vasomotor response to acetylcholine, 505
Nitroprusside
Treatment of no-reflow and impaired flow with the nitric oxide donor nitroprusside following

percutaneous coronary interventions: human clinical experience, 1335

Norepinephrine
Ambulatory norepinephrine treatment of severe autonomic orthostatic hypotension, 219
Evidence for functional presynaptic alpha-2 adrenoceptors and their down-regulation in human heart failure, 1246

Nuclear imaging
No difference in cardiac event-free survival between positron emission tomography-guided and single-photon emission computed tomography-guided patient management, 81

Nutrition
Chronic heart failure and micronutrients, 1765

Obesity
Contrasting clinical properties and exercise responses in obese and lean hypertensive patients, 169
Ideal weight, body composition and lipid levels: an unresolved dilemma? (letter), 2010
Importance of age and obesity on the relation between diabetes and left ventricular mass, 1957
Obesity is independently associated with coronary endothelial dysfunction in patients with normal or mildly diseased coronary arteries, 1523

Occlusion
Amplatzer Duct Occluder: experience in 209 patients, 258
Incidence of thrombotic occlusion and major adverse cardiac events between two and four weeks after coronary stent placement: analysis of 5,678 patients with a four-week ticlopidine regimen, 2066
Reconstruction of stenotic or occluded iliofemoral veins and inferior vena cava using intravascular stents: re-establishing access for future cardiac catheterization and cardiac surgery, 251

Orthostatic hypotension
Ambulatory norepinephrine treatment of severe autonomic orthostatic hypotension, 219

Outcome studies
Increased local temperature in human atherosclerotic plaques: an independent predictor of clinical outcome in patients undergoing a percutaneous coronary intervention, 1277
Non-Q-wave myocardial infarction following thrombolytic therapy: a comparison of outcomes in patients randomized to invasive or conservative post-infarct assessment strategies in the Veterans Affairs Non-Q-Wave Infarction Strategies In-Hospital (VANQWISH) Trial, 19
Percutaneous and surgical interventions for in-stent restenosis: long-term outcomes and effect of diabetes mellitus, 1877
Preintervention arterial remodeling affects clinical outcome following stenting: an intravascular ultrasound study, 1031
Rapid bedside test for B-type peptide predicts treatment outcomes in patients admitted for decompensated heart failure: a pilot study, 386

Oxidative stress
Angioplasty increases coronary sinus F_2-isoprostane formation: evidence for in vivo oxidative stress during PTCA, 76
Hypercholesterolemia impairs myocardial perfusion and permeability: role of oxidative stress and endogenous scavenging activity, 608
Interaction between chemokines and oxidative stress: possible pathogenic role in acute coronary syndromes, 485
Modulation of oxidative stress by a selective inhibition of angiotensin II type 1 receptors in M1 rats, 1461
Relationship between tumor necrosis factor-alpha production and oxidative stress in the failing heart of patients with dilated cardiomyopathy, 2086
Vascular endothelial function and oxidative stress mechanisms in patients with Behçet's syndrome, 517

Oxygen consumption
Dobutamine echocardiographic study in patients with nonischemic dilated cardiomyopathy and prognostically borderline values of peak exercise oxygen consumption: 18-month follow-up study, 1685
Skeletal muscle mass independently predicts peak oxygen consumption and ventilatory response during exercise in noncachectic patients with chronic heart failure, 2080

Pacing
Left ventricular dysfunction after long-term right ventricular apical pacing in the young, 2093
Myocardial perfusion in patients with permanent ventricular pacing and normal coronary arteries, 124

Patent ductus arteriosus
Amplatzer Duct Occluder: experience in 209 patients, 258

Pediatric cardiology
Amplatzer Duct Occluder: experience in 209 patients, 258
Association of chromosome 22q11 deletion with isolated anomalies of aortic arch laterality and branching, 2114
Balloon angioplasty for obstructed modified system-pulmonary artery shunts and pulmonary artery stenoses, 940
Congenital coronary artery anomalies in young patients (editorial), 598
Congenital heart block: development of late-onset cardiomyopathy, a previously underappreciated sequela, 238
Dilated cardiomyopathy in isolated congenital complete atrioventricular block: early and long-term risk in children, 1129
Effect of short-term prophylactic methylprednisolone on the incidence and severity of postpericardiotomy syndrome in children undergoing cardiac surgery with cardiopulmonary bypass, 1700
Fontan procedure for tricuspid atresia: early and late results of a 25-year experience with 216 patients, 933
Inducibility of intra-atrial reentrant tachycardia after the first two stages of the Fontan sequence, 231
Influence of ventricular morphology on aerobic exercise capacity in patients after the Fontan operation, 1967
Late rejection is a predictor of transplant coronary artery disease in children, 243
Major coronary artery anomalies in a pediatric population: incidence and clinical importance, 593
Minimally invasive or interventional repair of atrial septal defects in children: experience in 171 cases and comparison with conventional strategies, 1707
Reconstruction of stenotic or occluded iliofemoral veins and inferior vena cava using intravascular stents: re-establishing access for future cardiac catheterization and cardiac surgery, 251

Percutaneous balloon mitral valvuloplasty
Percutaneous balloon mitral valvuloplasty in comparison with open mitral valve commissurotomy for mitral stenosis during pregnancy, 900

Percutaneous coronary interventions
Coronary artery bypass graft or percutaneous coronary interventions in patients with diabetes: another nail in the coffin or "too close to call?" (editorial), 1016
Increased local temperature in human atherosclerotic plaques: an independent predictor of clinical outcome in patients undergoing a percutaneous coronary intervention, 1277
Long-term mortality benefit with abciximab in patients undergoing percutaneous coronary intervention, 2059
Minimally invasive or interventional repair of atrial septal defects in children: experience in 171 cases and comparison with conventional strategies, 1707
Treatment of no-reflow and impaired flow with the nitric oxide donor nitroprusside following percutaneous coronary interventions: human clinical experience, 1335

Percutaneous transluminal coronary angioplasty
Adventitial remodeling after angioplasty is associated with expression of tenascin mRNA by adventitial myofibroblasts, 655
Angioplasty increases coronary sinus F_2-isoprostane formation: evidence for in vivo oxidative stress during PTCA, 76
Course and prognostic implications of QT interval and QT interval variability after primary coronary angioplasty in acute myocardial infarction, 44
Effectiveness of primary PTCA: does patient risk matter? (editorial), 1836
Exercise training intervention after coronary angioplasty: the ETICA trial, 1891
Postinfarctional remodeling: increased dye intensity in the myocardial risk area after angioplasty of infarct-related coronary artery is associated with reduction of ventricular volumes, 1239
Primary angioplasty versus intravenous thrombolysis in acute myocardial infarction: can we define subgroups of patients benefiting most from primary angioplasty? Results from the pooled data of the maximal individual therapy in Acute Myocardial Infarction Registry and the Myocardial Infarction Registry, 1827
Prognostic implications of restrictive left ventricular filling in reperfused anterior acute myocardial infarction, 793

Perfusion
See Myocardial perfusion

Pericarditis
Difference in the respiratory variation between pulmonary venous and mitral inflow Doppler velocities in patients with constrictive pericarditis with and without atrial fibrillation, 1936

Periodontal disease
Periodontal disease and risk of subsequent cardiovascular disease in U.S. male physicians, 445

Peripheral vascular disease
Comparative effects of aging in men and women on the properties of the arterial tree, 1374

Intermittent claudication: an objective office-based assessment, 1381
Phosphodiesterase
Cessation of platelet-mediated cyclic canine coronary occlusion after thrombolysis by combining nitric oxide inhalation with phosphodiesterase-5 inhibition, 1981
Physical examination
Physician-performed point-of-care echocardiography using a laptop platform compared with physical examination in the cardiovascular patient, 2013
Platelets
Administration of abciximab to patients receiving tirofiban or eptifibatide: effect on platelet function, 847
Platelet inhibitory effect of nitric oxide in the human coronary circulation: impact of endothelial dysfunction, 510
Stable angina and acute coronary syndromes are associated with nitric oxide resistance in platelets, 1851
Polymorphic ventricular tachycardia
Pause-dependent polymorphic ventricular tachycardia during long-term treatment with dofetilide: a placebo-controlled, implantable cardioverter-defibrillator-based evaluation, 1100
Positive inotropes
Improvement of afterload mismatch of left atrial booster pump function with positive inotropic agents, 270
Positron emission tomography
Early assessment of regional myocardial blood flow and metabolism in thrombolysis in myocardial infarction flow grade 3 reperfused myocardial infarction using carbon-11-acetate, 30
No difference in cardiac event-free survival between positron emission tomography-guided and single-photon emission computed tomography-guided patient management, 81
Postmenopausal women
See also Women
Attenuation of endothelin-1 induced vasoconstriction by 17β estradiol is not sustained during long-term therapy in postmenopausal women with coronary heart disease, 1367
Estradiol supplementation suppresses hyperventilation-induced attacks in postmenopausal women with variant angina, 735
Relationship between the angiotensin-converting enzyme genotype and the forearm vasodilator response to estrogen replacement therapy in postmenopausal women, 1529
Postpericardiotomy syndrome
Effect of short-term prophylactic methylprednisolone on the incidence and severity of postpericardiotomy syndrome in children undergoing cardiac surgery with cardiopulmonary bypass, 1700
Postsystolic shortening
Regional asynchrony during acute myocardial ischemia quantified by ultrasound strain rate imaging, 1141
Posture
Effects of posture on cardiac autonomic nervous activity in patients with congestive heart failure, 1788
Potassium channels
Alterations in potassium channel gene expression in atria of patients with persistent and paroxysmal atrial fibrillation: differential regulation of protein and mRNA levels for K^+ channels, 926
Mitochondrial ATP-sensitive K^+ channels play a role in cardioprotection by Na^+-H^+ exchange inhibition against ischemia/reperfusion injury, 957
Preconditioning
Acute ethanol exposure fails to elicit preconditioning-like protection in in situ rabbit hearts because of its continued presence during ischemia, 601
Angiotensin-converting enzyme inhibition enhances a subthreshold stimulus to elicit delayed preconditioning in pig myocardium, 1996
Failure to precondition pathological human myocardium, 711
Pregnancy
Effect of valvular heart disease on maternal and fetal outcome of pregnancy, 893
Percutaneous balloon mitral valvuloplasty in comparison with open mitral valve commissurotomy for mitral stenosis during pregnancy, 900
Propafenone
Single oral loading dose of propafenone for pharmacological cardioversion of recent-onset atrial fibrillation, 542
Propranolol
Efficacy and safety of out-of-hospital self-administered single-dose oral drug treatment in the management of infrequent, well-tolerated paroxysmal supraventricular tachycardia, 548
Prostheses
Quality of life in aortic valve replacement: pulmonary autografts versus mechanical prostheses, 1963
Reoperation for prosthetic aortic valve obstruction in the era of echocardiography: trends in diagnostic testing and comparison with surgical findings, 579
Risks and benefits of adding anti-platelet therapy to warfarin among patients with prosthetic heart valves: a meta-analysis, 569
Protein kinases
Redox regulation of MAPK pathways and cardiac hypertrophy in adult rat cardiac myocyte, 676
Prothrombin
G20210A mutation in the prothrombin gene and the risk of recurrent venous thromboembolism, 215
Pulmonary arteries
Balloon angioplasty for obstructed modified system-pulmonary artery shunts and pulmonary artery stenoses, 940
Concurrent balloon dilation of stenosed aortopulmonary Gore-Tex shunts and branch pulmonary arteries (editorial), 948
Pulmonary artery pulse pressure and wave reflection in chronic pulmonary thromboembolism and primary pulmonary hypertension, 1085
Pulmonary artery occlusion pressure
Deceleration time of pulmonary venous diastolic flow is more accurate than the pulmonary artery occlusion pressure in predicting left atrial pressure, 2025
Pulmonary artery pressure
Independent and additive prognostic value of right ventricular systolic function and pulmonary artery pressure in patients with chronic heart failure, 183
Pulmonary hypertension
See also Hypertension
Enigma of primary pulmonary hypertension (letter), 1476
Pulmonary artery pulse pressure and wave reflection in chronic pulmonary thromboembolism and primary pulmonary hypertension, 1085
Pulmonary valve
Failure of right ventricular recovery of Fallot patients after pulmonary valve replacement: delay of reoperation or surgical technique? (letter), 2008
Validation of a digital color Doppler flow measurement method for pulmonary regurgitant volumes and regurgitant fractions in an in vivo model and in a chronic animal model of postoperative repaired tetralogy of Fallot, 632
Pulmonary vascular resistance
Accurate noninvasive estimation of pulmonary vascular resistance by Doppler echocardiography in patients with chronic heart failure, 1813
Pulmonary veins
Ultrafast three-dimensional contrast-enhanced magnetic resonance angiography and imaging in the diagnosis of partial anomalous pulmonary venous drainage, 1120
Pulse pressure
Pulmonary artery pulse pressure and wave reflection in chronic pulmonary thromboembolism and primary pulmonary hypertension, 1085
Pulse pressure—a review of mechanisms and clinical relevance, 975
QT interval
Circadian variation in the effects of aldosterone blockade on heart rate variability and QT dispersion in congestive heart failure, 1800
Course and prognostic implications of QT interval and QT interval variability after primary coronary angioplasty in acute myocardial infarction, 44
Quality of life
Quality of life in aortic valve replacement: pulmonary autografts versus mechanical prostheses, 1963
Radiation therapy
Edge stenosis and geographical miss following intracoronary gamma radiation therapy for in-stent restenosis, 1026
Radiation therapy impairs endothelium-dependent vasodilation in humans, 761
Radiopharmaceuticals
Enhanced detection of reversible perfusion defects by Tc-99m sestamibi compared to Tc-99m tetrofosmin during vasodilator stress SPECT imaging in mild-to-moderate coronary artery disease, 458
Fractional flow reserve, absolute and relative coronary blood flow velocity reserve in relation to the results of technetium-99m sestamibi single-photon emission computed tomography in patients with two-vessel coronary artery disease, 1316
No difference in cardiac event-free survival between positron emission tomography-guided and single-photon emission computed tomography-guided patient management, 81
Ramipril
Beneficial effects of ramipril on left ventricular end-diastolic and end-systolic volume indexes after uncomplicated invasive revascularization are associated with a reduction in cardiac events in patients with moderately impaired left ventricular function and no clinical heart failure, 1214

Reactive oxygen species
Redox regulation of MAPK pathways and cardiac hypertrophy in adult rat cardiac myocyte, 676
Refractoriness
Increased dispersion and shortened refractoriness caused by verapamil in chronic atrial fibrillation, 1403
Remodeling
Adventitial remodeling after angioplasty is associated with expression of tenascin mRNA by adventitial myofibroblasts, 655
Arterial remodeling influences the development of intimal hyperplasia after stent implantation, 70
C-type natriuretic peptide and vascular remodeling (letter), 333
Effect of spironolactone on plasma brain natriuretic peptide and left ventricular remodeling in patients with congestive heart failure, 1228
Heart rate variability and early recurrence of atrial fibrillation after electrical cardioversion, 157
Impact of coronary artery remodeling on clinical presentation of coronary artery disease: an intravascular ultrasound study, 63
Increased dispersion and shortened refractoriness caused by verapamil in chronic atrial fibrillation, 1403
Intravenous atrial natriuretic peptide prevents left ventricular remodeling in patients with first anterior acute myocardial infarction, 1820
Multiple endocardial injury in epicardial coronary artery induced downstream microvascular spasm as well as remodeling partly via thromboxane A_2, 308
Plaque distribution and vascular remodeling of ruptured and nonruptured coronary plaques in the same vessel: an intravascular ultrasound study in vivo, 1864
Postinfarctional remodeling: increased dye intensity in the myocardial risk area after angioplasty of infarct-related coronary artery is associated with reduction of ventricular volumes, 1239
Preintervention arterial remodeling affects clinical outcome following stenting: an intravascular ultrasound study, 1031
Renal blood flow
Quantification of renal blood flow with contrast-enhanced ultrasound, 1135
Renin-angiotensin-aldosterone system
Failure of aldosterone suppression despite angiotensin-converting enzyme (ACE) inhibitor administration in chronic heart failure is associated with ACE DD genotype, 1808
Renin-angiotensin system
Activation of the cardiac renin-angiotensin system and increased myocardial collagen expression in human aortic valve disease, 1443
Renin angiotensin system-dependent hypertrophy as a contributor to heart failure in hypertensive rats: different characteristics from renin angiotensin system-independent hypertrophy, 293
Reperfusion
Course and prognostic implications of QT interval and QT interval variability after primary coronary angioplasty in acute myocardial infarction, 44
Early assessment of regional myocardial blood flow and metabolism in thrombolysis in myocardial infarction flow grade 3 reperfused myocardial infarction using carbon-11-acetate, 30
Mitochondrial ATP-sensitive K^+ channels play a role in cardioprotection by Na^+-H^+ exchange inhibition against ischemia/reperfusion injury, 957
Pre-infarction angina elicits greater myocardial viability on reperfusion after myocardial infarction: a dobutamine stress echocardiographic study, 1846
Shifting the open-artery hypothesis downstream: the quest for optimal reperfusion, 9
Repolarization
Dispersion of repolarization during induction and termination of ventricular fibrillation (letter), 332
Early autonomic and repolarization abnormalities contribute to lethal arrhythmias in chronic ischemic heart failure: characteristics of a novel heart failure model in dogs with postmyocardial infarction left ventricular dysfunction, 1741
Repolarization-excitability relationship in the human right atrium is unaffected by cycle length, recording site and prior arrhythmias, 920
Sympathetic stimulation produces a greater increase in both transmural and spatial dispersion of repolarization in LQT1 than LQT2 forms of congenital long QT syndrome, 911
Restenosis
See also Stenosis
Edge stenosis and geographical miss following intracoronary gamma radiation therapy for in-stent restenosis, 1026
Percutaneous and surgical interventions for in-stent restenosis: long-term outcomes and effect of diabetes mellitus, 1877
Predictors of diffuse and aggressive intra-stent restenosis, 1019
Resuscitation
See Cardiopulmonary resuscitation
Revascularization
Argentine Randomized Study: coronary angioplasty with stenting versus coronary bypass surgery in patients with multiple-vessel disease (ERACI II): 30-day and one-year follow-up results, 51
Beneficial effects of ramipril on left ventricular end-diastolic and end-systolic volume indexes after uncomplicated invasive revascularization are associated with a reduction in cardiac events in patients with moderately impaired left ventricular function and no clinical heart failure, 1214
Coronary artery revascularization in patients with sustained ventricular arrhythmias in the chronic phase of a myocardial infarction: effects on the electrophysiologic substrate and outcome, 529
Early mortality and morbidity of bilateral versus single internal thoracic artery revascularization: propensity and risk modeling, 521
Present-day PTCR versus CABG: a randomized comparison with a different focus and a new result (editorial), 59
Survival of patients with diabetes and multivessel coronary artery disease after surgical or percutaneous coronary revascularization: results of a large regional prospective study, 1008
Rheumatic fever
See Acute rheumatic fever
Right ventricle
See also Ventricular function
Failure of right ventricular recovery of Fallot patients after pulmonary valve replacement: delay of reoperation or surgical technique? (letter), 2008
Impact of right ventricular involvement on mortality and morbidity in patients with inferior myocardial infarction, 37
Independent and additive prognostic value of right ventricular systolic function and pulmonary artery pressure in patients with chronic heart failure, 183
Left ventricular dysfunction after long-term right ventricular apical pacing in the young, 2093
Left ventricular inotropic reserve and right ventricular function predict increase of left ventricular ejection fraction after beta-blocker therapy in nonischemic cardiomyopathy, 818
Myocardial flow reserve in patients with a systemic right ventricle after atrial switch repair, 2120
Right ventricular form and function after percutaneous atrial septal defect device closure, 2108
Risk assessment and stratification
Aortic stenosis with severe left ventricular dysfunction and low transvalvular pressure gradients: risk stratification by low-dose dobutamine echocardiography, 2101
Assessment of noninvasive markers in identifying patients at risk in the Brugada syndrome: insight into risk stratification, 1628
Clinical diagnosis and risk stratification in patients with Brugada syndrome (editorial), 1635
Clinical risk stratification correlates with the angiographic extent of coronary artery disease in unstable angina, 2053
Coronary calcium as a risk factor: role in global risk assessment (editorial), 1512
Independent and additive prognostic value of right ventricular systolic function and pulmonary artery pressure in patients with chronic heart failure, 183
Lipoprotein(a) further increases the risk of coronary events in men with high global cardiovascular risk, 434
Prognostic stratification of diabetic patients by exercise echocardiography, 1551
Prognostic value of Doppler echocardiographic mitral inflow patterns: implications with risk stratification in patients with chronic congestive heart failure, 1049
Should diastolic and systolic blood pressure be considered for cardiovascular risk factors evaluation: a study in middle-aged men and women, 163
Value of programmed ventricular stimulation of prophylactic internal cardioverter-defibrillator implantation in postinfarction patients preselected by noninvasive risk stratifiers, 1901
When to stress patients after coronary artery bypass surgery? Risk stratification in patients with early and late post-CABG using stress myocardial perfusion SPECT: implications of appropriate clinical strategies, 144
Risk factors
An insertion/deletion polymorphism in the α_{2B}-adrenergic receptor gene is a novel genetic risk factor for acute coronary events, 1516
Coronary calcium as a risk factor: role in global risk assessment (editorial), 1512
Dilated cardiomyopathy in isolated congenital complete atrioventricular block: early and long-term risk in children, 1129
Electron beam tomography and National Cholesterol Education Program guidelines in asymptomatic women, 1506

Shunt
Balloon angioplasty for obstructed modified system-pulmonary artery shunts and pulmonary artery stenoses, 940
Concurrent balloon dilation of stenosed aortopulmonary Gore-Tex shunts and branch pulmonary arteries (editorial), 948
Sildenafil citrate
Sildenafil citrate (Viagra) does not exacerbate myocardial ischemia in canine models of coronary artery stenosis, 286
Single-photon emission computed tomography
See also Computed tomography
Enhanced detection of reversible perfusion defects by Tc-99m sestamibi compared to Tc-99m tetrofosmin during vasodilator stress SPECT imaging in mild-to-moderate coronary artery disease, 458
Fractional flow reserve, absolute and relative coronary blood flow velocity reserve in relation to the results of technetium-99m sestamibi single-photon emission computed tomography in patients with two-vessel coronary artery disease, 1316
Myocardial perfusion imaging findings and the role of adenosine in the warm-up angina phenomenon, 463
No difference in cardiac event-free survival between positron emission tomography-guided and single-photon emission computed tomography-guided patient management, 81
Physiologic assessment of coronary artery stenosis by coronary flow reserve measurements with transthoracic Doppler echocardiography: comparison with exercise thallium-201 single-photon emission computed tomography, 1310
Real-time assessment of myocardial perfusion and wall motion during bicycle and treadmill exercise echocardiography: comparison with single photon emission computed tomography, 741
When to stress patients after coronary artery bypass surgery? Risk stratification in patients with early and late post-CABG using stress myocardial perfusion SPECT: implications of appropriate clinical strategies, 144
Skeletal muscle
Skeletal muscle mass independently predicts peak oxygen consumption and ventilatory response during exercise in noncachectic patients with chronic heart failure, 2080
Smoking
Real smoker's paradox (letter), 2009
Relationship of current and past smoking to mortality and morbidity in patients with left ventricular dysfunction, 1677
Smoking cessation in heart failure: it is never too late (editorial), 1683
Smooth muscle cells
Molecular effects of HMG-CoA reductase inhibitors on smooth muscle cell proliferation (letter), 337
Spironolactone
Circadian variation in the effects of aldosterone blockade on heart rate variability and QT dispersion in congestive heart failure, 1800
Effect of spironolactone on plasma brain natriuretic peptide and left ventricular remodeling in patients with congestive heart failure, 1228
Prevention of aortic and cardiac fibrosis by spironolactone in old normotensive rats, 662
Stenosis
See also Restenosis
Aortic stenosis with severe left ventricular dysfunction and low transvalvular pressure gradients: risk stratification by low-dose dobutamine echocardiography, 2101
Edge stenosis and geographical miss following intracoronary gamma radiation therapy for in-stent restenosis, 1026
Effect of valvular heart disease on maternal and fetal outcome of pregnancy, 893
Percutaneous balloon mitral valvuloplasty in comparison with open mitral valve commissurotomy for mitral stenosis during pregnancy, 900
Physiologic assessment of coronary artery stenosis by coronary flow reserve measurements with transthoracic Doppler echocardiography: comparison with exercise thallium-201 single-photon emission computed tomography, 1310
Quantitative assessment of myocardial perfusion during graded coronary artery stenoses by intravenous myocardial contrast echocardiography, 624
Quantitative assessment of myocardial perfusion during graded coronary stenosis by real-time myocardial contract echo refilling curves, 262
Sildenafil citrate (Viagra) does not exacerbate myocardial ischemia in canine models of coronary artery stenosis, 286
Stability of hibernating myocardium in pigs with a chronic left anterior descending coronary artery stenosis: absence of progressive fibrosis in the setting of stable reductions in flow, function and coronary flow reserve, 1989
Stents and stenting
Achieving optimal results with standard balloon angioplasty: can baseline and angiographic variables predict stent-like outcomes?, 1883
Antiplatelet effects of abciximab, tirofiban, and eptifibatide in patients undergoing coronary stenting, 1323
Argentine Randomized Study: coronary angioplasty with stenting versus coronary bypass surgery in patients with multiple-vessel disease (ERACI II): 30-day and one-year follow-up results, 51
Arterial remodeling influences the development of intimal hyperplasia after stent implantation, 70
Continued benefit of coronary stenting versus balloon angioplasty: five-year clinical follow-up of Benestent-I trial, 1598
Coronary artery stenting in the aged, 856
Effects of contemporary use of coronary stents on in-hospital mortality, 499
Emergency stenting to treat neurological complications occurring after carotid endarterectomy, 2074
Incidence of thrombotic occlusion and major adverse cardiac events between two and four weeks after coronary stent placement: analysis of 5,678 patients with a four-week ticlopidine regimen, 2066
Long-term vessel response to a self-expanding coronary stent: a serial volumetric intravascular ultrasound analysis from the ASSURE trial, 1329
Predictors of diffuse and aggressive intra-stent restenosis, 1019
Preintervention arterial remodeling affects clinical outcome following stenting: an intravascular ultrasound study, 1031
Preprocedural C-reactive protein levels and cardiovascular events after coronary stent implantation, 839
Reconstruction of stenotic or occluded iliofemoral veins and inferior vena cava using intravascular stents: re-establishing access for future cardiac catheterization and cardiac surgery, 251
Stenting versus thrombolysis in acute myocardial infarction trial (STAT), 985
Unprotected left main coronary artery stenting: correlates of midterm survival and impact of patient selection, 832
Steroids
See Anabolic steroids
Stress
Effects of mental stress on coronary epicardial vasomotion and flow velocity in coronary artery disease: relationship with hemodynamic stress responses, 1359
President's page: cardiologists under stress: the response of the American College of Cardiology, 1155
Stress testing
See Exercise testing
ST segment
Is ST segment elevation non-Q-wave myocardial infarction after thrombolytic therapy a new clinical entity that requires an invasive management strategy? (editorial), 26
Myocardial infarction after vascular surgery: the role of prolonged stress-induced, ST depression-type ischemia, 1839
Three-year follow-up of patients with right bundle branch block and ST segment elevation in the right precordial leads, 1916
Sudden death
Autoantibodies against the second extracellular loop of beta$_1$-adrenergic receptors predict ventricular tachycardia and sudden death in patients with idiopathic dilated cardiomyopathy, 418
Impact directly over the cardiac silhouette is necessary to produce ventricular fibrillation in an experimental model of commotio cordis, 649
Prediction of sudden cardiac death by fractal analysis of heart rate variability in elderly subjects, 1395
President's page: the Neighborhood Heart Watch Program: saving minutes saves lives, 2004
Supraventricular tachycardia
Efficacy and safety of out-of-hospital self-administered single-dose oral drug treatment in the management of infrequent, well-tolerated paroxysmal supraventricular tachycardia, 548
Surgery
See also Ablation therapy; Coronary artery bypass graft surgery
Effect of short-term prophylactic methyl-prednisolone on the incidence and severity of postpericardiotomy syndrome in children undergoing cardiac surgery with cardiopulmonary bypass, 1700
Is it time for a randomized trial of surgical treatment of ischemic heart failure? (editorial), 1199
Myocardial infarction after vascular surgery: the role of prolonged stress-induced, ST depression-type ischemia, 1839
Prediction of operative mortality after valve replacement surgery, 885
Reconstruction of stenotic or occluded iliofemoral veins and inferior vena cava using intravascular stents: re-establishing access for future cardiac catheterization and cardiac surgery, 251

Surgical anterior ventricular endocardial restoration in the dilated remodeled ventricle after anterior myocardial infarction, 1199

Syncope
Can we assess the efficacy of therapy with neurocardiogenic syncope? (editorial), 560
Diagnostic value of history in patients with syncope with or without heart disease, 1921
Lack of efficacy of atenolol for the prevention of neurally mediated syncope in a highly symptomatic population: a prospective, double-blind, randomized and placebo-controlled study, 554

Systolic blood pressure
Should diastolic and systolic blood pressure be considered for cardiovascular risk factors evaluation: a study in middle-aged men and women, 163

Systolic function
Predictive value of systolic and diastolic function for incident congestive heart failure in the elderly: the Cardiovascular Health Study, 1042
Regional myocardial systolic function during acute myocardial ischemia assessed by strain Doppler echocardiography, 726

Tachycardia
Autoantibodies against the second extracellular loop of beta$_1$-adrenergic receptors predict ventricular tachycardia and sudden death in patients with idiopathic dilated cardiomyopathy, 418
Effects of verapamil and lidocaine on two components of the re-entry circuit of verapamil-sensitive idiopathic left ventricular tachycardia, 1415
Inducibility of intra-atrial reentrant tachycardia after the first two stages of the Fontan sequence, 231
Optimized mapping of slow pathway ablation guided by subthreshold stimulation: a randomized prospective study in patients with recurrent atrioventricular nodal re-entrant tachycardia, 1645
Papillary muscle hypothesis of idiopathic left ventricular tachycardia (letter), 1475
Pause-dependent polymorphic ventricular tachycardia during long-term treatment with dofetilide: a placebo-controlled, implantable cardioverter-defibrillator-based evaluation, 1100
Recurrence of symptomatic ventricular arrhythmias in patients with implantable cardioverter defibrillator after the first device therapy: implications for antiarrhythmic therapy and driving restrictions, 1910
Ventricular tachycardias arising from the aortic sinus of Valsalva: an under-recognized variant of left outflow tract ventricular tachycardia, 1408

Task forces
Task force 1: the changing profile of congenital heart disease in adult life, 1170
Task force 2: special health care needs of adults with congenital heart disease, 1176
Task force 3: workforce description and educational requirements for the care of adults with congenital heart disease, 1183
Task force 4: organization of delivery systems for adults with congenital heart disease, 1187
Task force 5: adults with congenital heart disease: access to care, 1193

Tenascin-C
Adventitial remodeling after angioplasty is associated with expression of tenascin mRNA by adventitial myofibroblasts, 655

Testing
See Exercise testing

Tetralogy of Fallot
Failure of right ventricular recovery of Fallot patients after pulmonary valve replacement: delay of reoperation or surgical technique? (letter), 2008
Validation of a digital color Doppler flow measurement method for pulmonary regurgitant volumes and regurgitant fractions in an in vivo model and in a chronic animal model of postoperative repaired tetralogy of Fallot, 632

Thallium-201
Physiologic assessment of coronary artery stenosis by coronary flow reserve measurements with transthoracic Doppler echocardiography: comparison with exercise thallium-201 single-photon emission computed tomography, 1310

Thoracic aorta
Transesophageal magnetic resonance imaging of the aortic arch and descending thoracic aorta in patients with aortic atherosclerosis, 2031

Thromboembolism
G20210A mutation in the prothrombin gene and the risk of recurrent venous thromboembolism, 215
Pulmonary artery pulse pressure and wave reflection in chronic pulmonary thromboembolism and primary pulmonary hypertension, 1085

Thrombogenesis
Increased von Willebrand factor in the endothelium as a local predisposing factor for thrombogenesis in overloaded human atrial appendage, 1436

Thrombolysis and thrombolytic therapy
Cessation of platelet-mediated cyclic canine coronary occlusion after thrombolysis by combining nitric oxide inhalation with phosphodiesterase-5 inhibition, 1981
Consequences of overutilization and underutilization of thrombolytic therapy in clinical practice, 1581
Early assessment of regional myocardial blood flow and metabolism in thrombolysis in myocardial infarction flow grade 3 reperfused myocardial infarction using carbon-11-acetate, 30
Is ST segment elevation non-Q-wave myocardial infarction after thrombolytic therapy a new clinical entity that requires an invasive management strategy? (editorial), 26
Non-Q-wave myocardial infarction following thrombolytic therapy: a comparison of outcomes in patients randomized to invasive or conservative post-infarct assessment strategies in the Veterans Affairs Non-Q-Wave Infarction Strategies In-Hospital (VANQWISH) Trial, 19
Overutilization and underutilization of thrombolysis in routine clinical practice (editorial), 1588
Primary angioplasty versus intravenous thrombolysis in acute myocardial infarction: can we define subgroups of patients benefiting most from primary angioplasty? Results from the pooled data of the maximal individual therapy in Acute Myocardial Infarction Registry and the Myocardial Infarction Registry, 1827
Stenting versus thrombolysis in acute myocardial infarction trial (STAT), 985

Thrombosis
Reactivation of ischemic events in acute coronary syndromes: results from GUSTO-IIb, 1001

Thromboxane A_2
Multiple endocardial injury in epicardial coronary artery induced downstream microvascular spasm as well as remodeling partly via thromboxane A_2, 308

Thromboxane B_2
Effects of low-dose aspirin on serum C-reactive protein and thromboxane B_2 concentrations: a placebo-controlled study using a highly selective C-reactive protein assay, 2036

Ticlopidine
Incidence of thrombotic occlusion and major adverse cardiac events between two and four weeks after coronary stent placement: analysis of 5,678 patients with a four-week ticlopidine regimen, 2066
Ticlopidine versus aspirin after myocardial infarction (STAMI) trial, 1259

Tirofiban
Administration of abciximab to patients receiving tirofiban or eptifibatide: effect on platelet function, 847
Antiplatelet effects of abciximab, tirofiban, and eptifibatide in patients undergoing coronary stenting, 1323

Tissue plasminogen activator
Bradykinin stimulates the release of tissue plasminogen activator in human coronary circulation: effects of angiotensin-converting enzyme inhibitors, 1565

Tobacco use
See Smoking

Tomography
See Computed tomography; Positron emission tomography; Single-photon emission computed tomography

Transplantation
See Heart transplantation

Tricuspid valve
Fontan procedure for tricuspid atresia: early and late results of a 25-year experience with 216 patients, 933
Specificity of Doppler echocardiography for the assessment of changes in valvular regurgitation: comparison of side-by-side versus serial interpretation, 1614

Tumor necrosis factor-alpha
Expression of an endothelial-type nitric oxide synthase isoform in human neutrophils: modification by tumor necrosis factor-alpha and during acute myocardial infarction, 800
Interaction between paracrine tumor necrosis factor-alpha and paracrine angiotensin II during myocardial ischemia, 316
Relationship between tumor necrosis factor-alpha production and oxidative stress in the failing heart of patients with dilated cardiomyopathy, 2086

T-wave alternans
Angerlike behavioral state potentiates myocardial ischemia-induced T-wave alternans in canines, 1719

Ultrasound
American College of Cardiology clinical expert consensus document on standards for acquisition, measurement and reporting of intravascular ultrasound studies, 1478
High-efficiency endovascular gene delivery via therapeutic ultrasound, 1975
Impact of coronary artery remodeling on clinical presentation of coronary artery disease: an intravascular ultrasound study, 63
Long-term vessel response to a self-expanding coronary stent: a serial volumetric

intravascular ultrasound analysis from the ASSURE trial, 1329
Noninvasive detection and evaluation of atherosclerotic coronary plaques with multislice computed tomography, 1430
Plaque distribution and vascular remodeling of ruptured and nonruptured coronary plaques in the same vessel: an intravascular ultrasound study in vivo, 1864
Preintervention arterial remodeling affects clinical outcome following stenting: an intravascular ultrasound study, 1031
Quantification of renal blood flow with contrast-enhanced ultrasound, 1135
Regional asynchrony during acute myocardial ischemia quantified by ultrasound strain rate imaging, 1141

Valve disease
See also Aortic valve; Mitral valve; Pulmonary valve; Tricuspid valve
Activation of the cardiac renin-angiotensin system and increased myocardial collagen expression in human aortic valve disease, 1443
Aortic stenosis with severe left ventricular dysfunction and low transvalvular pressure gradients: risk stratification by low-dose dobutamine echocardiography, 2101
Cardiocyte cytoskeleton in patients with left ventricular pressure overload hypertrophy, 1080
Effect of valvular heart disease on maternal and fetal outcome of pregnancy, 893
Prediction of operative mortality after valve replacement surgery, 885
Risks and benefits of adding anti-platelet therapy to warfarin among patients with prosthetic heart valves: a meta-analysis, 569
Specificity of Doppler echocardiography for the assessment of changes in valvular regurgitation: comparison of side-by-side versus serial interpretation, 1614

Valve prostheses
Quality of life in aortic valve replacement: pulmonary autografts versus mechanical prostheses, 1963
Reoperation for prosthetic aortic valve obstruction in the era of echocardiography: trends in diagnostic testing and comparison with surgical findings, 579
Risks and benefits of adding anti-platelet therapy to warfarin among patients with prosthetic heart valves: a meta-analysis, 569

Valve regurgitation
Left ventricular mechanics during and after acute rheumatic fever: contractile dysfunction is closely related to valve regurgitation, 201
Specificity of Doppler echocardiography for the assessment of changes in valvular regurgitation: comparison of side-by-side versus serial interpretation, 1614

Valve replacement
Failure of right ventricular recovery of Fallot patients after pulmonary valve replacement: delay of reoperation or surgical technique? (letter), 2008
Prediction of operative mortality after valve replacement surgery, 885
Quality of life in aortic valve replacement: pulmonary autografts versus mechanical prostheses, 1963

Valvuloplasty
Percutaneous balloon mitral valvuloplasty in comparison with open mitral valve commissurotomy for mitral stenosis during pregnancy, 900

Vascular endothelial growth factor
Effect of human recombinant vascular endothelial growth factor$_{165}$ on progression of atherosclerotic plaque, 2126
Efficacy of intracoronary or intravenous VEGF$_{165}$ in a pig model of chronic myocardial ischemia, 616
Transendocardial delivery of autologous bone marrow enhances collateral perfusion and regional function in pigs with chronic experimental myocardial ischemia, 1726
Vascular endothelial growth factor-induced angiogenesis: crouching tiger or hidden dragon? (editorial), 2131

Vasoconstriction
Attenuation of endothelin-1 induced vasoconstriction by 17β estradiol is not sustained during long-term therapy in postmenopausal women with coronary heart disease, 1367
Effects of mental stress on coronary epicardial vasomotion and flow velocity in coronary artery disease: relationship with hemodynamic stress responses, 1359

Vasodilation
Comparison of myocardial blood flow during dobutamine-atropine infusion with that after dipyridamole administration in normal men, 130
N-Acetylcysteine improves coronary and peripheral vascular function, 117
Radiation therapy impairs endothelium-dependent vasodilation in humans, 761
Relationship between the angiotensin-converting enzyme genotype and the forearm vasodilator response to estrogen replacement therapy in postmenopausal women, 1529

Vena contracta
Assessment of aortic regurgitation by transesophageal color Doppler imaging of the vena contracta: validation against an intraoperative aortic flow probe, 1450

Ventricles
See Left ventricle; Right ventricle

Ventricular fibrillation
Dispersion of repolarization during induction and termination of ventricular fibrillation (letter), 332
Impact directly over the cardiac silhouette is necessary to produce ventricular fibrillation in an experimental model of commotio cordis, 649

Ventricular tachycardia
Autoantibodies against the second extracellular loop of beta$_1$-adrenergic receptors predict ventricular tachycardia and sudden death in patients with idiopathic dilated cardiomyopathy, 418
Effects of verapamil and lidocaine on two components of the re-entry circuit of verapamil-sensitive idiopathic left ventricular tachycardia, 1415
Inducibility of intra-atrial reentrant tachycardia after the first two stages of the Fontan sequence, 231
Papillary muscle hypothesis of idiopathic left ventricular tachycardia (letter), 1475
Pause-dependent polymorphic ventricular tachycardia during long-term treatment with dofetilide: a placebo-controlled, implantable cardioverter-defibrillator-based evaluation, 1100
Recurrence of symptomatic ventricular arrhythmias in patients with implantable cardioverter defibrillator after the first device therapy: implications for antiarrhythmic therapy and driving restrictions, 1910
Ventricular tachycardias arising from the aortic sinus of Valsalva: an under-recognized variant of left outflow tract ventricular tachycardia, 1408

Verapamil
Effects of verapamil and lidocaine on two components of the re-entry circuit of verapamil-sensitive idiopathic left ventricular tachycardia, 1415
Increased dispersion and shortened refractoriness caused by verapamil in chronic atrial fibrillation, 1403

Veterans Affairs Non-Q-Wave Infarction Strategies In-Hospital (VANQWISH) Trial
Non-Q-wave myocardial infarction following thrombolytic therapy: a comparison of outcomes in patients randomized to invasive or conservative post-infarct assessment strategies in the Veterans Affairs Non-Q-Wave Infarction Strategies In-Hospital (VANQWISH) Trial, 19

Viagra
See Sildenafil citrate

von Willebrand factor
Increased von Willebrand factor in the endothelium as a local predisposing factor for thrombogenesis in overloaded human atrial appendage, 1436
Limitation of vWf meta-analysis in LMWH comparison (letter), 2006

Wall thickening
Quantification of regional contractile function after infarction: strain analysis superior to wall thickening analysis in discriminating infarct from remote myocardium, 808

Warfarin
Risks and benefits of adding anti-platelet therapy to warfarin among patients with prosthetic heart valves: a meta-analysis, 569

Women
See also Postmenopausal women; Pregnancy
Attenuation of endothelin-1 induced vasoconstriction by 17β estradiol is not sustained during long-term therapy in postmenopausal women with coronary heart disease, 1367
Comparative effects of aging in men and women on the properties of the arterial tree, 1374
Electron beam tomography and National Cholesterol Education Program guidelines in asymptomatic women, 1506
Estradiol supplementation suppresses hyperventilation-induced attacks in postmenopausal women with variant angina, 735
Estrogen-induced small low density lipoprotein particles may be atherogenic in postmenopausal women, 425
Relationship between the angiotensin-converting enzyme genotype and the forearm vasodilator response to estrogen replacement therapy in postmenopausal women, 1529
Should diastolic and systolic blood pressure be considered for cardiovascular risk factors evaluation: a study in middle-aged men and women, 163